

\$ 66,561

STANDARD EQUIPMENT

Alarms (Visual):	Bucket,	Gauges:	Lights:
Battery Discharge	Coupler-Type 0.78 CuYd	Engine Coolant Temp	2 Headlights
Brake Oil Level	Bucket Leveler	Fuel Level	2 Stop/Tail/Turn Lights
Engine Oil Pressure	Cold Start Aid,	Hour Meter	2 Turn Signals (Front)
Alternator (60 AMP)	Glow Plugs	Hydraulic Ori Level,Sight	1Backup
Battery: 12V-490CCA	Coupler , Hydraulic	Horn (Electric)	Neutral Safety Start
Brake (Parking)	Universal	Hydraulic System,	Radiator, Side-by-Side
Spring Applied,	Counterweight	3-Spool Valve	w/ Oil Cooler
Oilpressure released,	Drawbar	Braking Pedal	Reverse Alarm
Enclosed Wet Disc	Easy Clean Floor	Function Indicators:	ROPS/FOPSCanopy
Brakes (Service)	Engine Fuel Filter	Engine Pre-Heater	Safety Articulation
Enclosed Wet Disc,	w/ Water Seperator	Forward/Reverse	Locking Bar
Full Hydraulic System	Engine Coolant Reservoir	Parking Brake	Seat, Adjustable Suspension
	Fenders	Turn Signals	Seat Belt
		Limited Slip Differentials (F&R)	Shift Lever Lock
		Linkage (Z-type, sealed)	Vandalism Protection

Engine: KUBOTA V2403-MDI Diesel

Horsepower: 45 hp/2400 rpm (33.5 kW/2400 rpm) Net

Tires: 15.5/60-18 BPR

KAWASAKI 42ZV-2 PRICE LIST

BUCKETS

BUCKET DELETION	52JA010	(\$1,839)
-----------------	---------	-----------

QUICK COUPLER AND ATTACHMENTS

48" x 48" PALLET FORK w/ Adjustable Tines (for use w/ STD Universal-Type Quick Coupler)	52JB020	\$2,408
---	---------	---------

TIRE SELECTION (Rims included)

SOLID TIRES	52JD010	\$10,478
STANDARD TIRES 15,5/60-18 8PR	52JD020	\$0

CAB ACCESSORIES

ROPS/FOPS CAB ONLY	52J6012	\$5,099
ROPS/FOPS CAB w/HEATER ONLY	52J6013	\$5,938
ROPS/FOPS CAB w/HVAC (Heat, Vent, A/C)	52J6014	\$8,155

PROTECTION / GUARDING

RADIATOR DUST SCREEN w/ HVAC	52J2044	\$292
RADIATOR DUSTSCREEN w/o HVAC	52J2045	\$292

Recommended for Special Application :

AICHLRW = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 8, 2015
(Revised September 8, 2015)
(Subject to change without notice)

\$ 85,216

STANDARD EQUIPMENT

Alarms (Audible):	Brake (Parking)	Gauges:	Lights:
Brake Oil Level	Spring Applied,	Engine coolant Temp	2 Headlights
Engine Coolant Temp	Oil pressure released,	Fuel Level	2 Stop/Tall/Turn Lights
Engine Oil Pressure	Enclosed Wet Disc	Hour Meter	2 Turn Signals (Front)
Alarms (Visual):	Brakes (Service)	Hydraulic Oil Level, Sight	1 Backup
Air Filter	Enclosed Wet Disc,	Horn (Electric)	Neutral Safety Start
Battery Discharge	Full Hydraulic System	Hydraulic System,	Radiator, Side-by-Side
Brake Oil Level	Bucket,	3-Spool Valve	w/ Oil Cooler
Engine Coolant Temp	Coupler-Type 1.18 CuYd	Working Pedal	Reverse Alarm
Engine Oil Pressure	Bucket Leveler	Function Indicators:	ROPS/ FOPS Canopy
HST Warning	Cold Start Aid,	Clearance Light	Safety Articulation
Machine Service	Glow Plugs	Engine Pre-Heater	Locking Bar
Machine Stop	Coupler, Hydraulic	Forward/Reverse	Seat, Adjustable Suspension
Alternator (80 AMP)	Hook-Type	High Beam	seat Belt
Battery: 12V-620CCA	Counterweight	Parking Brake	Shift Lever Lock
	Drawbar	Turn Signals	Vandalism Protection
	Easy Clean Floor	Working light (Opt)	
	Engine Fuel Filter	Linkage (Z-type, sealed)	
	w/ Water Separator		
	Engine Coolant Reservoir		
	Fenders		

Engine: KUBOTA V3307-DI-T Diesel

Horsepower: 61 hp/2200 rpm (45.5 kW/2200 rpm) Net

Tires: 17.5/65-20 OPR

KAWASAKI 45ZV-2 PRICE LIST

BUCKETS

BUCKET DELETION	52RA010	(\$1,931)
-----------------	---------	-----------

QUICK COUPLER AND ATTACHMENTS

48" x 48" PALLET FORK w/adjustable tines (for use w/ Hook-Type Quick Coupler)	52RB020	\$2,892
MECHANICAL QUICK COUPLER, Hook-Type	52RB010	(\$742)
UNIVERSAL QUICK COUPLER, HYD (In Lieu of STD Hook-Type Quick Coupler) (Not compatible w/ STD Bucket, must select Bucket Deletion) (Dealer Installation required)	52RB011	\$1,664

TIRE SELECTION (Rims included)

SOLID TIRES	52RD010	\$13,716
STANDARD TIRES 17.5/65-20 10PR	52RD020	\$0

CAB ACCESSORIES

ROPS/FOPS CAB ONLY	52R6012	\$5,099
ROPS/FOPS CAB w/HEATER ONLY	52R6013	\$5,938
ROPS/FOPS CAB w/HVAC (Heat, Vent, NC)	52R6014	\$8,155

POWERTRAIN

DIFF-LOCK (Front axle only) (Grip switch activated)	52R3015	\$883
---	---------	-------

PROTECTION / GUARDING

RADIATOR DUST SCREEN w/ HVAC	52R2044	\$1,052
RADIATOR DUST SCREEN w/o HVAC	52R2045	\$1,052

Recommended for Special Application:

AICHLIRW = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

\$ 122,307

STANDARD EQUIPMENT

ENGINE

Air Cleaner,
Double Element
COld Start (Glow Plug)
Deutz TCD36
Diesel Engine
EGR System
Fuel Filter (Main)
Fuel Pre-Filter
w/ Water Separator
Work Mode Selector

POWERTRAIN

Brakes (Parking)
Spring Applied,
011 Pressure Released,
Wet Disc Type
Brakes (Service)
Enclosed Wet Disc,
Dual System,
Dashboard Mounted
Differential,
Torque Proportioning (F/R)
Down-Shift Button
F-R Direction Selector
(Column Mounted)
Clutch Pedal
Maximum Speed Adjuster
for 1st Speed
Traction Control
Transmission, Hydrostatic (HST)

HYDRAULIC SYSTEM

Boom Kick-Out
Bucket Positioner
Control Lever,
Single, Pilot-Assisted
Control Lever Lock
(Electric)
Control Valve, 2-Spool,
Parallel control
Pumps,
Gear Fixed Displacement
Steering, Orbital

ELECTRICAL

24-Volt Electrical System
Back-up Alarm
Batteries (2), 12V, 490CCA
Battery Disconnect Switch
Converter, 12V/15 Amp
Horn, Dual Electric
Instrument Panel,
LCD, Monochrome
Lights;
2 Headlights (Halogen)
2 Forward Working Lights
4 Rear Working Lights
2 Stop/Tail/Backup (LED)
Turn Signal
w/4-way Flashers/Marker

ALARMS, GAUGES & INDICATORS

Alarms (Visual & Audible):
Brake 011 Low Level
Engine Oil Low Pressure
Overheat (Engine Coolant)
Gauges:
Engine Coolant Temperature
Fuel Gauge
HST Oil Temperature
Indicators:
Air Conditioner Display
Battery Discharge Warning
Cold Start
Control Lever Lock
ECO - Operating Status
Engine Warning
F-N-R Selection
High Beam
HST 011 Temperature
HST Warning
Maintenance
Parking Brake
Service
Speedometer
Turn Signal
w/4-way Flashers/Marker
Work Light
Work Mode (Normal, Power)

CAB

ROPS Cab;
Enclosed cab with
sound suppression,
front and rear wipers and
washers, two rear view and
two side mirrors, tinted glass,
full view latch-back doors,
and sliding side windows.
Accessory Outlet, 12V
AC/Heater/Pressurizer
Adjustable Armrest/Console,
(Fore/Aft Sliding)
AM/FM Radio w/AUX Input
Ashtray
cab Dome Lamps (2)
Cigarette Lighter, 24V
Coat Hook
Cooler Box Storage Area
Cup Holder (2)
Floor mat
Retractable Seat Belt (3 inch)
ROPS/FOPS Certified
Seat, Air Suspension, Fabric
Steering Column,
Telescoping and Tilting
w/Quick-Release Pedal
Storage Box (Heated/Cooled)
Sun Visor

OTHER

Articulation Locking Bar
Counterweight
Drawbar
Ladders, inclined
Lifting Eyes
Linkage Pins, HN Bushing
Neutral Safety Start
Rear Grill, hinged
Steps, Rear
Z-Bar Loader Linkage

Engine: DEUTZ TCD36 Diesel

Horsepower: 98 hp/2100 rpm (73 kW/2100 rpm) Net

KAWASAKI 60Z7 PRICE LIST

BUCKETS

General Purpose, 2.0 Cu. Yd. w/ Bolt-on Cutting Edge	71MA022	\$4,579
Material Handling, 2.3 Cu. Yd. w/ Bolt-on Cutting Edge	71MA042	\$5,225

QUICK COUPLER AND ATTACHMENTS

48" Construction Utility Fork on 60" Carriage, QC Type	71MB020	\$7,122
60" Construction Utility Fork on 60" Carriage, QC Type	71MB021	\$7,343
General Purpose, 1.8 Cu. Yd. Bucket w/ Bolt-on Cutting Edge, QC Type	71MA060	\$5,701
Hydraulic Coupler, Lines & Control	71M8010	\$6,490

TIRE SELECTION (Rims included)

Bias Ply, Set of Four - 17.5-25-12PR Traction (L-2)	TBP1701	\$5,835
---	---------	---------

RIMS (Dealer Supplied Tires)

NO TIRES AND NO RIMS	NTR0000	\$0
----------------------	---------	-----

CAB ACCESSORIES

BACKUP CAMERA, 5.6" Color LCD Monitor & Color Camera w/ Infrared Capability *	71M6130	\$1,081
HEATED MIRRORS	71M6120	\$864
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front & Rear	71M5121	\$1,418
SEAT, Heated w/ TLV Suspension (DLX8500)	71M6150	\$437
SECONDARY STEERING	71M4050	\$7,928

HYDRAULICS

3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ High Lift Arm, Single Control Lever)	71M4023	\$3,520
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ Standard Lift Arm, Single Control Lever)	71M4021	\$3,520
RIDE CONTROL (w/ load sensing valve and automatic shut off)	71M4010	\$4,733

MAINTENANCE / SERVICEABILITY

GLOBAL E-SERVICE, Telematic Monitoring System (GSM version w/ 4 yrs. service)	71MS010	\$1,133
GLOBAL E-SERVICE, Telematic Monitoring System (SAT version w/ 4 yrs. service)	71MS020	\$1,341

POWERTRAIN

<u>IA</u> <u>II</u> <u>III</u> <u>IV</u> <u>V</u> <u>W</u> <u>!</u> ENGINE PRE-CLEANER (Turbine Style)	71M2020	\$492
--	---------	-------

PROTECTION / GUARDING

BELLYGUARD, Transmission	71M1030	\$638
<u>IA</u> <u>II</u> <u>III</u> <u>IV</u> <u>V</u> A/C CONDENSER SCREEN	71M2041	\$571
<u>I</u> <u>II</u> <u>III</u> <u>IV</u> <u>V</u> BELLYGUARD, FRONT CHASSIS	71M1040	\$1,640
<u>IA</u> <u>II</u> <u>III</u> <u>IV</u> <u>V</u> RADIATOR AREA SCREEN GUARD	71M2040	\$672
<u>II</u> <u>III</u> <u>IV</u> <u>V</u> <u>!</u> WHEEL SEAL GUARDS	71M3021	\$1,475

STRUCTURAL ACCESSORIES

FENDERS (Full rear fenders w/ mud flaps)	71M1070	\$2,914
HIGH LIFT ARM FOR MATERIAL HANDLING *	71M1050	\$3,614

Recommended for Special Application :

IA IC IH IL IR !W = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

\$ 150,864

STANDARD EQUIPMENT

ENGINE

Air Cleaner,
Double Element
Autodidle Shutdown
Cold Start (Glow Plug)
Cooling Fan,
Automatic
Reversible **Isuzu** 4HK1
Diesel Engine
Diesel Particulate Filter
(Exhaust Filter)
EGR System
Fuel Filter (Main)
w/ Water Separator
Fuel Pre-Filter
w/ Water Separator
VGT (Variable
Geometry Turbocharger)
Work Mode selector

POWERTRAIN

Brakes (Parking)
Spring Applied,
011 Pressure Released,
Wet Disc Type
Brakes (Service)
Enclosed Wet Disc,
Dual System,
Dashboard Mounted
Differential,
Limited Slip (F/R)
Drive Shafts,
Low Maintenance
F R Direction Selector
(2-Column Mounted/
HYO-Control Lever
Mounted) **climbing** Pedal
Maximum Speed Adjuster
for 1st Speed
Traction Control
Transmission, Hydrostatic (HST)
Universal Joints, Sealed

HYDRAUUC SYSTEM

Boom Kick-Out, Dual
(Operator Adjustable in Cab)
Bucket Positioner
Control Lever,
Single, Pilot-Assisted
Control Lever Lock
(Electric)
control Valve, 2-Spool,
Parallel Control
Pumps,
Gear Fixed Displacement
Steering, Orbltrol

ELECTRICAL

24-Volt Electrical System
Back-up Alarm
Battenes (2), 12V, 622CCA
Battery Disconnect Switch
Converter, 12V/15 Amp
Horn, Dual Electric
Instrument Panel,
LCD, Monochrome
Lights:
2 Headlights (Halogen)
2 Forward Working Lights
4 Rear Working Lights
2 Stop/Tail/Backup (LED)
Turn Signal
w/4-way Flashers/Marker

ALARMS, GAUGES & INDICATORS

Alarms (Visual & Audible):
Brake 011 Low Pressure
Engine Oil Low Pressure
Hydraulic Oil Level
Overheat (Engine Coolant)
Steering 011 Low Pressure
Gauges:
Engine Coolant Temperature
Fuel Gauge
HST 011 Temperature
Indicators:
Air Cleaner Element
Air Conditioner Display
Battery Discharge Warning
Cold Start
Control Lever Lock
Diesel Particulate Filter Status
ECO • Operating Status
Engine Warning
Fan Reverse Rotation
F-N-R Selection
F-N-R Switch Enable
Fuel Filter (Plugged Filter)
Fuel Filter (Water in Fuel)
High Beam
HST Oil Temperature
HST Warning
Maintenance
Parking Brake
Ride Control
Service
Speedometer
Time/Operating Hour/ ODO
Turn Signal
w/4-way Flashers/Marker
Work Light
Work Mode (Normal, Power)

CAB

ROPS Cab:
Enclosed cab with
sound suppression,
front and rear wipers and
washers, two rear view and
two side mirrors, tinted glass,
full view latch-back doors,
and sliding side windows.
Accessory Outlet, 12V
AC/Heater/Pressurizer
Adjustable Armrest/Console,
(Fore/Aft Sliding)
AM/FM Radio w/AUX Input
Ashtray
cab Dome Lamps (2)
Cigarette Lighter
Coat Hook
Cooler Box Storage Area
Cup Holder (2)
Floor mat
Retractable Seat Belt (3 inch)
ROPS/FOPS Certified
Seat, Air Suspension, Fabric
Steering Column,
Telescoping and Tilting
w/Quick-Release Pedal
Storage Box (Heated/Cooled)
Sun Visor

OTHER

Articulation Locking Bar
Counterweight
Drawbar
Fenders, Front, w/Mud Flap
Fenders, Rear,
Deck-type, w/Mud Flap
Global e-Service,
Telematic Monitoring System,
(GSM-version w/ 4yrs Service)
Ladders, inclined
Lifting Eyes
Linkage Pins, HN Bushing
Neutral Safety Start
Steps, Rear
Vandalism Protection
Z Bar Loader Linkage

Engine: **ISUZU** 4HK1 Diesel

Horsepower: 154 hp/2200 rpm (115 kW/2200 rpm) Net

KAWASAKI 62Z7 PRICE LIST

BUCKETS

General Purpose, 2.75 Cu. Yd. w/ Bolt-on Cutting Edge	71CA022	\$7,029
Material Handling, 3.1Cu. Yd. w/ Bolt-on Cutting Edge	71CA042	\$7,423

QUICK COUPLER AND ATTACHMENTS

48" Construction Utility Fork on 60" Carriage, QC Type	71CB020	\$7,122
60" Construction Utility Fork on 60" Carriage, QC Type	71CB021	\$7,343
General Purpose, 2.5 Cu. Yd. Bucket w/ Bolt-on Cutting Edge, QC Type	71CA060	\$6,087
Hydraulic Coupler, Cast-type, Dual-Interchange (416 SIO), Lines & Control	71CB014	\$7,015
Hydraulic Coupler, Fabricated, 416 Interchange, Lines & Control	71CB010	\$4,580

TIRE SELECTION (Rims included)

Blas Ply, Set of Four - 17.5-25-12PR Traction (L-2)	TBP1731	\$6,899
Blas Ply, Set of Four - 20.5-25-12PR Rock (L-3)	TBP2002	\$9,922
Bias Ply, Set of Four - 20.5-25-12PR Traction (L-2)	TBP2001	\$8,404
Radial, Set of Four - 17.5R25 (L-2)	TRA1731	\$9,905
Radial, Set of Four - 20.5R25 (L-2)	TRA2003	\$12,347
Radial, Set of Four - 20.5R25 (L-3)	TRA2001	\$16,258
Radial, Set of Four - Michelin, 17.5R25-XHA (L-3)	TMI1731	\$14,085
Radial, Set of Four - Michelin, 17.5R25-XTLA (L-2)	TMI1732	\$13,242
Radial, Set of Four - Michelin, 20.5R25-XHA2 (L-3)	TMI2001	\$20,663
Radial, Set of Four - Michelin, 20.5R25-XTLA (L-2)	TMI2002	\$16,756

RIMS (Dealer Supplied Tires)

NO TIRES AND NO RIMS	NTRO000	\$0
----------------------	---------	-----

CAB ACCESSORIES

BACKUP CAMERA, 5.6" Color LCD Monitor & Color Camera w/Infrared Capability *	71C6130	\$1,081
BACKUP CAMERA, Heavy-Duty, 7" High-Mount RLED Monitor w/Sunshade & Color Camera *	71C6131	\$2,096
DUAL LEVER HYDRAULIC CONTROL	71C4045	\$3,876
FIRE EXTINGUISHER, 5 LB, 2A:10B:C RATED (w/ mounting)	71C6110	\$274
HEATED MIRRORS	71C6120	\$864
LIGHTS, HID (High-Intensity Discharge, mounted on cab), Front & Rear	71C5121	\$1,418
LIGHTS, HID (High-Intensity Discharge, mounted on cab), Front Only	71C5123	\$883
LIGHTS, LED (mounted on cab), Front & Rear	71C5120	\$1,557
REAR PROXIMITY DETECTION (Detects persons and objects to the rear of the machine) *		
(Includes BACKUP CAMERA, Heavy-Duty option (71C6131))	71C6180	\$5,280
SEAT, Heated w/ TLV Suspension (DLX8500)	71C6150	\$437
SEAT, Vinyl w/Mechanical Suspension	71C6160	\$0
SECONDARY STEERING	71C4050	\$7,928

ELECTRICAL SYSTEM

ALTERNATOR, SEMI-SEALED 80A *	71C2070	\$1,164
ANTI-CORROSION WIRING HARNESS	71C5090	\$764

Recommended for Special Application :

AICHLRW = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

KAWASAKI 62Z7 PRICE LIST

HYDRAULICS

3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ High Lift Arm, Dual Control Lever)	71C4022	\$3,520
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ High Lift Arm, Single Control Lever)	71C4023	\$3,520
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ Standard Lift Arm, Single Control Lever)	71C4021	\$3,520
3-SPOOL VALVE, CONTROL LEVER AND LINES (use w/ Standard Lift Arm, Dual Control Lever)	71C4020	\$3,520
RIDE CONTROL (w/ load sensing valve and automatic shut off)	71C4010	\$4876

MAINTENANCE /SERVICEABILITY

GLOBAL E-SERVICE, Telematic Monitoring System (SAT version w/ 4 yrs. service) (I.L.O. STD GSM version)	71C5020	\$1341
---	---------	--------

POWERTRAIN

!A ! I I I I W ! ENGINE PRE-CLEANER (Turbine Style)	71C2020	\$492
---	---------	-------

PROTECTION /GUARDING

BELLYGUARD, Transmission	71C1030	\$802
I I R BELLYGUARD, FRONT CHASS S	71C1040	\$2,062
I I R CAB WINDSHIELD GUARD - Refuse	71C6035	\$5,612
I I R LIGHT GUARD, HEADLIGHT	71C5050	\$588
I I R LIGHT GUARD, TAIL LIGHT	71C5060	\$607
!A ! R W ! RADIATOR AREA SCREEN GUARD	71C2040	\$845
I I R WHEEL SEAL GUARDS	71C3021	\$1,475

STRUCTURAL ACCESSORIES

FENDERS (Full rear fenders w/ mud flaps)	71C1070	\$3,314
HIGH LIFT ARM FOR MATERIAL HANDLING *	71C1050	\$6,386

Recommended for Special Application :

!A ! C ! H ! L ! R ! W ! = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

\$ 176,625

STANDARD EQUIPMENT

ENGINE

Air Cleaner,
Double Element
Auto die Shutdown
Cold Start (Glow Plug)
Cooling Fan,
Automatic
Reversible Isuzu 4HK1
Diesel Engine
Diesel Particulate Filter
(Exhaust Filter)
EGR System
Fuel Filter (Main)
w/ Water Separator
Fuel Pre-Filter
w/ Water Separator
VGT (Variable
Geometry Turbocharger)
Work Mode Selector

POWERTRAIN

Brakes (Parking)
Spring Applied,
Oil Pressure Released,
Wet Disc Type
Brakes (Service)
Enclosed Wet Disc,
Dual System,
Dashboard Mounted
coolers,
Wide Fin Spacing
Differentia ,
Limited Slip (F/R)
Drive Shafts,
Low Maintenance
F R Direction Selector
(2-Column Mounted/
HYO-Control Lever
Mounted) Rching Pedal
Maximum Speed Adjuster
for 1st Speed
Traction Control
Transmission, Hydrostatic (HST)
Universal Joints, Sealed

HYDRAUUC SYSTIIM

Boom Kick-Out, Dual
(Operator Adjustable InCab)
Bucket Positioner
Control Lever,
Single, Pilot-Assisted
Control Lever Lock
(Electric)
Control Valve, 2-Spool,
Paralel Control
Coupler,
Hydraulic w/ Lines & Control
Pumps,
Gear Fixed Displacement
Steering, Orbltrol

ELECTRICAL

24-Volt Electrical System
Back-up Alarm
Batteries (2), 12V, 622CCA
Battery Disconnect Switch
Converter, 12V/15 Amp
Hom, Dual Electric
Instrument Panel,
LCD, Monochrome
Lights:
2 Headlights (Halogen)
2 Forward Working Lights
4 Rear Working Lights
2 Stop/Tail/Backup (LED)
Turn Signal
w/4-way Flashers/Marker

ALARMS, GAUGES & INDICATORS

Alarms (Visual & Audible):
Brake Oil Low Pressure
Engine Oil Low Pressure
Hydraulic Oil Level
Overheat (Engine Coolant)
Steering Oil Low Pressure
Gauges:
Engine Coolant Temperature
Fuel Gauge
HST Oil Temperature
Indicators:
Air Cleaner Element
Air Conditioner Display
Battery Discharge Warning
Cold Start
Control Lever Lock
Diesel Particulate Filter Status
ECO - Operating Status
Engine Warning
Fan Reverse Rotation
F-N-R Selection
F-N-R Switch Enable
Fuel Filter (Plugged Filter)
Fuel Filter (Water In Fuel)
High Beam
HST Oil Temperature
HST Warning
Maintenance
Parking Brake
Ride Control
Service
Speedometer
Time/Operating Hour/ ODO
Turn Signal
w/4-way Flashers/Marker
Work Light
Work Mode (Normal, Power)

CAB

ROPS Cab:
Enclosed cab with
sound suppression,
front and rear wipers and
washers, two rear view and
two side mirrors, tinted glass,
full view latch-back doors,
and sliding sidewindows.
Accessory Outlet, 12V
AC/Heater/Pressurizer
Adjustable Armrest/Console,
(Fore/Aft Sliding)
AM/FM Radio w/AUX Input
Ashtray
Cab Dome Lamps (2)
Cigarette Lighter
Coat Hook
Cooler Box Storage Area
Cup Holder (2)
Floor mat
Retractable Seat Belt (3 inch)
ROPS/FOPS Certified
Seat, Air Suspension, Fabric
Steering Column,
Telescoping and Tilting
w/Quick-Release Pedal
Storage Box (Heated/Cooled)
Sun Visor

OTHER

Articulation Locking Bar
Counterweight
Drawbar
Fenders, Front, w/Mud Flap
Fenders, Rear,
Deck-type, w/Mud Flap
Global e-Service,
Telematic Monitoring System,
(GSM-version w/4yrs Service)
Ladders, inclined
Lifting Eyes
Linkage (Parallel, Sealed)
Linkage Pins, HN Bushing
Neutral Safety Start
Steps, Rear
Vandalism Protection

Engine: ISUZU 4HK1 Diesel

Horsepower: 154hp/2200 rpm (115kW/2200 rpm) Net

Effective January 5, 2015

(Revised September 8, 2015)

(Subject to change without notice)

KAWASAKI 67TM7 PRICE LIST

QUICK COUPLER AND ATTACHMENTS

48" Construction Utility Fork on 60" Carriage, QC Type	71TB020	\$7,122
60" Construction Utility Fork on 60" Carriage, QC Type	71TB021	\$7,343
General Purpose, 2.8 Cu. Yd. Bucket w/ Bolt-on Cutting Edge, QC Type	71TA060	\$6,087
REMOVE HYDRAULIC COUPLER, LINES & CONTROL *	71TB013	(\$3,056)

PIN-ON BUCKETS (If coupler is deleted)

General Purpose, 3.1 Cu. Yd. Bucket w/ Bolt-on Cutting Edge *	71TA022	\$7,664
---	---------	---------

TIRE SELECTION (Rims included)

Bias Ply, Set of Four - 20.5-25-12PR Rock (L-3)	TBP2002	\$9,922
Bias Ply, Set of Four - 20.5-25-12PR Traction (L-2)	TBP2001	\$8,404
Radial, Set of Four - 20.SR25 (L-2)	TRA2003	\$12,347
Radial, Set of Four - 20.SR25 (L-3)	TRA2001	\$16,258
Radial, Set of Four - Michelin, 20.SR25-XHA2 (L-3)	TMI2001	\$20,663
Radial, Set of Four - Michelin, 20.SR25-XTLA (L-2)	TMI2002	\$16,756

CAB ACCESSORIES

BACKUP CAMERA, 5.6" Color LCD Monitor & Color Camera w/ Infrared Capability *	71T6130	\$1,081
BACKUP CAMERA, Heavy-Duty, 7" High-Mount RLED Monitor w/Sunshade & Color Camera *	71T6131	\$2,096
DUAL LEVER HYDRAULIC CONTROL	71T4045	\$3,876
FIRE EXTINGUISHER, 5 LB, 2A:10B:C RATED (w/ mounting)	71T6110	\$274
HEATED MIRRORS	71T6120	\$864
LIGHTS, HID (High-Intensity Discharge, mounted on cab), Front & Rear	71T5121	\$1,418
LIGHTS, HID (High-Intensity Discharge, mounted on cab), Front Only	71T5123	\$883
LIGHTS, LED (mounted on cab), Front & Rear	71T5120	\$1,557
REAR PROXIMITY DETECTION (Detects persons and objects to the rear of the machine) *		
(Includes BACKUP CAMERA, Heavy-Duty option (71T6131))	71T6180	\$5,280
SEAT, Heated w/ TLV Suspension (DLXBSOO)	71T6150	\$437
SEAT, Vinyl w/Mechanical Suspension	71T6160	\$0
SECONDARY STEERING	71T4050	\$7,928

ELECTRICAL SYSTEM

ANTI-CORROSION WIRING HARNESS	71T5090	\$764
-------------------------------	---------	-------

HYDRAULICS

3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ Standard Lift Arm, Dual Control Lever)	71T4020	\$3,520
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ Standard Lift Arm, Single Control Lever)	71T4021	\$3,520
RIDE CONTROL (w/ load sensing valve and automatic shut off)	71T4010	\$4,876

Recommended for Special Application :

A C H L R W = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

KAWASAKI 67TM7 PRICE LIST

MAINTENANCE / SERVICEABILITY

GLOBAL E-SERVICE, Telematic Monitoring System (SAT version w/ 4 yrs. service)
(I.L.O. STD GSM version)

71TS020 \$1341

POWERTRAIN

!A I I I I W ENGINE PRE-CLEANER (Turbine Style)

71T2020 \$492

PROTECTION / GUARDING

BELLYGUARD, Transmission

71T1030 \$802

I I I R W ARTICULATION AREA GUARD - Flexible Rubber Belting

71T1081 \$1518

I I I R BELLYGUARD, FRONT CHASSIS

71T1040 \$2,062

I I I R CAB WINDSHIELD GUARD - Refuse

71T6035 \$5,612

I I I R LIGHT GUARD, HEADLIGHT

71T5050 \$588

I I I R LIGHT GUARD, TAIL LIGHT

71T5060 \$607

!A I I R W RADIATOR AREA SCREEN GUARD

71T2040 \$845

I I I R WHEEL SEAL GUARDS

71T3021 \$1,475

STRUCTURAL ACCESSORIES

FENDERS (Full rear fenders w/ mud flaps)

71T1070 \$3,314

Recommended for Special Application:

!A I C H L R W = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 8, 2015
(Revised September 8, 2015)
(Subject to change without notice)

\$ 160,499

STANDARD EQUIPMENT

ENGINE

Air Cleaner,
Double Element
Auto die Shutdown
Cold Start (Glow Plug)
Cooling Fan,
Automatic
Reversible Isuzu 4HK1
Diesel Engine
Diesel Particulate Filter
(Exhaust Filter)
EGR System
Fuel Filter (Main)
w/ Water Separator
Fuel Pre-Filter
w/ Water Separator
VGT (Variable
Geometry Turbocharger)
Work Mode Selector

POWERTRAIN

Brakes (Parking)
Spring Applied,
Oil Pressure Released,
Wet Disc Type
Brakes (Service)
Enclosed Wet Disc,
Dual System,
Dashboard Mounted
Coolers,
Wide Fin Spacing
Differential,
Limited Slip (F/R)
Drive Shafts,
Low Maintenance
F/R Direction Selector
(2-Column Mounted/
HYO-Control Lever
Mounted) Lifting Pedal
Maximum Speed Adjuster
for 1st Speed
Tractor Control
Transmission, Hydrostatic (HST)
Universal Joints, Sealed

HYDRAULIC SYSTEM

Boom Kick-Out, Dual
(Operator Adjustable in Cab)
Bucket Positioner
Control Lever,
Single, Pilot-Assisted
Control Lever Lock
(Electric)
Control Valve, 2-Spool,
Parallel Control
Pumps,
Gear Fixed Displacement
Steering, Orbital

ELECTRICAL

24-Volt Electrical System
Batteries (2), 12v, 622CCA
Battery Disconnect Switch
Converter, 12V/1S Amp
Horn, Dual Electric
Instrument Panel,
LCD, Monochrome
Lights:
2 Headlights (Halogen)
2 Forward Working Lights
4 Rear Working Lights
2 Stop/Tail/Backup (LED)
Turn Signal
w/4-way Flashers/Marker

ALARMS, GAUGES & INDICATORS

Alarms (Visual & Audible):
Brake Oil Low Pressure
Engine Oil Low Pressure
Hydraulic Oil Level
overheat (Engine Coolant)
Steering Oil Low Pressure

Gauges:

Engine Coolant Temperature
Fuel Gauge
HST Oil Temperature

Indicators:

Air Cleaner Element
Air Conditioner Display
Battery Discharge Warning
Cold Start
Control Lever Lock
Diesel Particulate Filter Status
ECO • Operating Status
Engine Warning
Fan Reverse Rotation
F-N-R Selection
F-N-R Switch Enable
Fuel Filter (Plugged Filter)
Fuel Filter (Water in Fuel)
High Beam
HST Oil Temperature
HST Warning
Maintenance
Parking Brake
Ride Control
Service
Speedometer
Time/Operating Hour/ ODO
Turn Signal
w/4-way Flashers/Marker
Work Light
Work Mode (Normal, Power)

CAB

ROPS Cab:
Enclosed cab with
sound suppression,
front and rear wipers and
washers, two rear view and
two side mirrors, tinted glass,
full view latch-back doors,
and sliding side windows.
Accessory Outlet, 12V
AC/Heater/Pressurizer
Adjustable Armrest/Console,
(Fore/Aft Sliding)
AM/FM Radio w/AUX Input
Ashtray
Cab Dome Lamps (2)
Cigarette Lighter
Coat Hook
Cooler Box Storage Area
Cup Holder (2)
Floor mat
Retractable Seat Belt (3 inch)
ROPS/FOPS Certified
Seat, Air Suspension, Fabric
Steering Column,
Telescoping and Tilting
w/Quick-Release Pedal
Storage Box (Heated/Cooled)
Sun Visor

OTHER

Articulation Locking Bar
Counterweight
Drawbar
Fenders, Front, w/Mud Flap
Fenders, Rear,
Deck-type, w/Mud Flap
Global e-Service,
Telematic Monitoring System,
(GSM-version w/ 4yrs Service)
Ladders, inclined
Lifting Eyes
Linkage Pins, HNBushing
Neutral Safety Start
Steps, Rear
Vandalism Protection
Z-Bar Loader Linkage

Engine: ISUZU 4HK1 Diesel

Horsepower: 154 hp/2200 rpm (115 kW/2200 rpm) Net

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

KAWASAKI 67Z7 PRICE UST

BUCKETS

General Purpose, 3.1Cu. Yd. w/ Bolt-on Cutting Edge	71BA022	\$7,423
General Purpose, 3.1 Cu. Yd. w/ Teeth &. Segments	71BA082	\$8,398
Material Handling, 3.5 Cu. Yd. w/ Bolt-on Cutting Edge	71BA042	\$7,437

QUICK COUPLER AND ATTACHMENTS

48" Construction Utility Fork on 60" Carriage, QC Type	71BB020	\$7,122
60" Construction Utility Fork on 60" Carriage, QC Type	7186021	\$7,343
General Purpose, 2.8 Cu. Yd. Bucket w/ Bolt-on Cutting Edge, QC Type	71BA060	\$6,087
Hydraulic Coupler, Cast-type, Dual-Interchange (416 &. SO), Lines &. Control	7188014	\$7,015
Hydraulic Coupler, Fabricated, 416 Interchange, Lines &. Control	7188010	\$4,580

TIRE SELECTION (Rims ncluded)

Bias Ply, Set of Four -20.5-25-12PR Rock (L-3)	T6P2002	\$9,922
Bias Ply, Set of Four -20.5-25-12PR Traction (L-2)	TBP2001	\$8,404
Radial, Set of Four - 20.SR25 (L-2)	TRA2003	\$12,347
Radial, Set of Four - 20.SR25 (L-3)	TRA2001	\$16,258
Radial, Set of Four -Michelin, 20.5R25-XHA2 (L-3)	TMI2001	\$20,663
Radial, Set of Four -Michelin, 20.SR25-XTLA (L-2)	TMI2002	\$16,756

RIMS (Dealer Supplied Tires)

NO TIRES AND NO RIMS	NTRO000	\$0
----------------------	---------	-----

CAB ACCESSORIES

BACKUP CAMERA, 5.6" Color LCD Monitor & Color Camera w/Infrared Capability *	7166130	\$1,081
BACKUP CAMERA, Heavy-Duty, 7" High-Mount RLED Monitor w/Sunshade &. Color Camera *	7166131	\$2,096
DUAL LEVER HYDRAULIC CONTROL	7164045	\$3,876
F RE EXTINGUISHER, 5 LB, 2A: 10B:C RATED (w/ mounting)	7166110	\$274
HEATED MIRRORS	7166120	\$864
LIGHTS, HID (HighIntensity Discharge, mounted on cab), Front & Rear	7185121	\$1,418
LIGHTS, HID (HighIntensity Discharge, mounted on cab), Front Only	7185123	\$883
LIGHTS, LED (mounted on cab), Front &. Rear	7185120	\$1,557
REAR PROXIMITY DETECTION (Detects persons and objects to the rear of the machine) *		
(Includes BACKUP CAMERA, Heavy-Duty option (7166131))	7166180	\$5,280
SEAT, Heated w/ TLV Suspension (DLX8500)	7186150	\$437
SEAT, Vinyl w/Mechanical Suspension	7166160	\$0
SECONDARY STEERING	7164050	\$7,928

ELECTRICAL SYSTEM

<u>! ! C ! ! ! !</u> ALTERNATOR, SEMI-SEALED 80A *	
<u>! ! C ! ! ! !</u> ANTI-CORROSIVE WIRING HARNESS	

* Special Order
Item(s) may
increase delivery
time,

Recommended for Special Application :

! A ! C ! H ! L ! R ! W ! = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W)

Woodchip

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

7182070	\$1,164
7185090	\$764

KAWASAKI 67Z7 PRICE LIST

HYDRAULICS

3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ High Lift Arm, Dual Control Lever)	7164022	\$3,520
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ High Lift Arm, Single Control Lever)	7164023	\$3,520
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ Standard Lift Arm, Dual Control Lever)	7184020	\$3,520
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ Standard Lift Arm, Single Control Lever)	7184021	\$3,520
RIDE CONTROL (w/ load sensing valve and automatic shut off)	7184010	\$4,876

MAINTENANCE /SERVICEABILITY

GLOBAL E-SERVICE, Telematic Monitoring System (SAT version w/ 4 yrs. service) (I.L.O. STD GSM version)	7165020	\$1,341
---	---------	---------

POWERTRAIN

<u>A I C H L R W</u> ENGINE PRE-CLEANER (Turbine Style)	7162020	\$492
---	---------	-------

PROTECTION / GUARDING

<u>A I C H L R W</u> BELLYGUARD, Transmission	7161030	\$802
<u>A I C H L R W</u> ARTICULATION AREA GUARD • Flexible Rubber Belting	7181081	\$1518
<u>A I C H L R</u> BELLYGUARD, FRONT CHASSIS	7161040	\$2,062
<u>A I C H L R</u> CAB WINDSHIELD GUARD • Refuse	7166035	\$5,612
<u>A I C H L R</u> LIGHT GUARD, HEADLIGHT	7165050	\$588
<u>A I C H L R</u> LIGHT GUARD, TAIL LIGHT	7165060	\$607
<u>A I C H L R W</u> RADIATOR AREA SCREEN GUARD	7162040	\$845
<u>A I C H L R</u> WHEEL SEAL GUARDS	7163021	\$1475

STRUCTURAL ACCESSORIES

FENDERS (Full rear fenders w/ mud flaps)	7181070	\$3,314
HIGH LIFT ARM FOR MATERIAL HANDLING *	7181050	\$6,386

Recommended for Special Application:

A I C H L R W = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

\$ 197,739

STANDARD EQUIPMENT

ENGINE

Air Cleaner,
Double Element
Autodidle Shutdown
Cold Start
(Intake Air Heater)
Cooling Fan,
Automatic Reversible
Cummins QSB6.7
Diesel Engine
EGR System
Fuel Filter (Main)
Fuel Pre-Fiter
w/ Water Separator
VGT (Variable
Geometry Turbocharger)
Work Mode Selector

POWERTRAIN

1st Speed Hold Switch
on Side Console
Brakes (Parking)
Spring Applied,
OJL Pressure Released,
Dry Disc Type
Brakes (Service)
Enclosed Wet Oise,
Dual System,
Board Mounted
Differential,
Limited Slip (F/R)
Down-Shift Switch
Drive Shafts,
Low Maintenance
F-R Direction Selector
(2-Column Mounted/
HYO-Control Lever Mounted)
Quick Power Button
Transmission, Automatic
w/Load Sensing System
Transmission Declutch
(3-Position Level/Off/Hill)
Transmission Mode
Selection (3-Position
AUT01/MAN/AUT02)
Universal Joints, Sealed

HYDRAUUC SYSTEM

Boom Kick-Out, Dual
(Operator Adjustable in cab)
Bucket Positioner
Control Lever,
Single, Pilot-Assisted
Control Lever Lock
(Electric)
Control Valve, 2-Spool,
Parallel Control
Coupler,
Hydraulic w/ Lines & Control
Pumps,
Variable Displacement,
Load Sensing
Steering, Orbltrol
System: Open-Center,
High-Pressure,
Load Sensing
Valve, Anti-Drift

ELECTRICAL

24-Volt Electrical System
Back-up Alarm
Batteries (2), 12V, 146CCA
Battery Disconnect Switch
Converter, 12V/15 Amp
Horn, Dual Electric
Instrument Panel,
LCD, Monochrome
Lights:
2 Headlights (Halogen)
2 Forward Working Lights
4 Rear Working Ughts
2 Stop/Tall/Backup (LED)
Turn Signal
w/4-way Flashers/Marker

ALARMS, GAUGES & INDICATORS

Alarms (Visual & Audible):
Boost Temperature
Brake Oil Low Pressure
Engine Oil Low Pressure
Hydraulic Oil Level
Overheat (Engine Coolant)

Gauges:
Engine Coolant Temperature
Fuel Gauge
Transmission Oil Temperature

Indicators:
Air Cleaner Element
Air Conditioner Display
Axle Oil Temperature
Battery Discharge Warning
Boom Kick-Out, Dual
Cold Start
Control Lever Lock
ECO - Operating Status
Engine Warning
Fan Reverse Rotation
F-N-R Selection
F-N-R Switch Enable
Fuel Filter (Plugged Filter)
Fuel Filter (Water in fuel)
High Beam
Maintenance
Parking Brake
Ride Control
Service
Shift Hold
Speedometer
Time/Operating Hour/ ODO
Transmission Oil Temperature
Transmission Warning
Turn Signal
w/4-way Flashers/Marker
Work Light
Work Mode (Normal, Power)

CAB

RDPS Cab:
Enclosed cab with
sound suppression,
front and rear wipers and
washers, two rear view and
two side mirrors, tinted glass,
full view latch-back doors,
and sliding side windows.
Accessory Outlet, 12V
AC/Heater/Pressurizer
Adjustable Armrest/Console,
(Fore/Aft Sliding)
AM/FM/WB Radio w/AUX input
Ashtray
cab Dome Lamps (2)
Cigarette Lighter, 24V
Coat Hook
Cooler Box Storage Area
Cup Holder (2)
Floor mat, Sweep Out
Retractable Seat Belt (3 Inch)
ROPS/FOPS Certified
Seat, Air Suspension, Fabric
Steering Column,
Telescoping and Tilting
w/Quick-Release Pedal
Storage Tray
Sun Visor

OTHER

Articulation Locking Bar
Counterweight
Drawbar
Fenders, Front, w/Mud Flap
Fenders, Rear,
Deck-type, w/Mud Flap
Global e-Service,
Telematic Monitoring System,
(GSM-version w/ 4yrs Service)
Ladders, inclined
Lifting Eyes
Linkage (Parallel, Sealed)
Unlunge Pins, HN Bushing
Neutral Safety Start
Rear Grill, hinged
Steps, Rear
Vandalism Protection

Engine: CUMMINS QSB6.7 Diesel

Horsepower: 168 hp/2200 rpm (125 kW/2200 rpm) Net

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

KAWASAKI 70TM7 PRICE LIST

QUICK COUPLER AND ATTACHMENTS

48" Construction Utility Fork on 60" Carriage, QC Type	71FB020	\$7,122
60" Construction Utility Fork on 60" Carriage, QC Type	71FB021	\$7,343
60" Construction Utility Fork on 96" Carriage, QC Type	71FB022	\$8,444
General Purpose, 3.4 Cu.Yd. Bucket w/ Bolt-on Cutting Edge, QC Type	71FA060	\$8,473
REMOVE HYDRAULIC COUPLER, LINES & CONTROL	71FB013	(\$3,056)

PIN-ON BUCKETS (f coupler is deleted)

General Purpose, 3.7 Cu. Yd. w/ Bolt-on Cutting Edge *	71FA022	\$9,020
--	---------	---------

TIRE SELECTION (Rims included)

Bias Ply, Set of Four - 23.5-25-16PR Rock (L-3)	TBP2301	\$14,039
Radial, Set of Four - 23.SR25 (L-3)	TRA2301	\$23,769
Radial, Set of Four - Michelin, 23.SR25-XHA2 (L-3)	TMI2301	\$29,459

CAB ACCESSORIES

BACKUP CAMERA, 5.6" Color LCD Monitor & Color Camera w/Infrared Capability *	71F6130	\$1081
BACKUP CAMERA, Heavy-Duty, 7" High-Mount RLED Monitor w/Sunshade & Color Camera *	71F6131	\$2,096
DUAL LEVER HYDRAULIC CONTROL	71F4045	\$3,729
FIRE EXTINGUISHER, 5 LB, 2A: 10BC RATED (w/ mounting)	71F6110	\$274
HEATED MIRRORS	71F6120	\$864
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front & Rear	71F5121	\$418
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front Only	71FS123	\$883
LIGHTS, LED (mounted on cab), Front & Rear	71F5120	\$1577
REAR PROXIMITY DETECTION (Detects persons and objects to the rear of the machine) *		
(Includes BACKUP CAMERA, Heavy-Duty option (71F6131))	71F6180	\$5,280
SEAT, Heated w/ TLV Suspension (DLX8500)	71F6150	\$437
SEAT, Vinyl w/ Mechanical Suspension	71F6160	\$0
SECONDARY STEERING *	71F4050	\$7,928
A C I I R W CAB PRE-FILTER (RESPA-type)	71F6041	\$2,364

ELECTRICAL SYSTEM

I C I I I I ANTI-CORROSION WIRING HARNESS *	71F5090	\$764
---	---------	-------

Recommended for Special Application :

A C I H I L R W = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

KAWASAKI 70TM7 PRICELIST

HYDRAULICS

3-SPOOL VALVE, CONTROL LEVER AND UNES (for use w/ Standard Lift Arm, Dual Control Lever)	71F4020	\$4549
3-SPOOL VALVE, CONTROL LEVER AND UNES (for use w/ Standard Lift Arm, Single Control Lever)	71F4021	\$4,549
RIDECONTROL (w/ load sensing valve and automatic shut off)	71F4010	\$4879

MAINTENANCE /SERVICEABILITY

GLOBAL E-SERVICE, Telematic Monitoring System (SAT version w/ 4 yrs. service) (I.L.O. STD GSM version)	71FS020	\$1341
---	---------	--------

POWERTRAIN

ENGINE BLOCK HEATER, 120V	71F2120	\$243
SPEED LIMIT PROGRAM - 12MPH (20KPH)	71F3045	\$640
IA I I I IR W COOLING SYSTEM CORES, WIDE F N SPACING	71F2030	\$6,500
IA I I I I W ENGINE PRE-CLEANER (Turbine Style)	71F2020	\$565

PROTECTION / GUARDING

BELLYGUARD, TRANSMISSION	71F1030	\$1,468
I I I I R W ARTICULATION AREA GUARD -Flexible Rubber Belting	71F1081	\$1608
I I I I R I BELLYGUARD, FRONT CHASSIS	71F1040	\$2,168
I I I I R I CAB WINDSHIELD GUARD - Refuse	71F6035	\$6,706
I I I I R I LIGHT GUARD, HEADLIGHT	71FS050	\$652
I I I I R I LIGHT GUARD, TAIL LIGHT	71FS060	\$607
IA I I I I R W RADIATOR AREA SCREEN GUARD	71F2040	\$845
I I I I R I WHEEL SEAL GUARDS	71F3021	\$3,488

STRUCTURAL ACCESSORIES

FENDERS (Full rear fenders w/ mud flaps)	71F1070	\$3,781
--	---------	---------

Recommended for Special Application :

~~IAICHLIRW~~ = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September B, 2015)
(Subject to change without notice)

\$ 177,984

STANDARD EQUIPMENT

ENGINE

Air Cleaner,
Double Element
Autoidle Shutdown
Cold Start
(Intake Air Heater)
Cooling Fan,
Automatic Reversible
Cummins QSB6.7
Diesel Engine
EGR System
Fuel Filter (Main)
Fuel Pre-Filter
w/ Water Separator
VGT (Variable
Geometry Turbocharger)
Work Mode Selector

POWERTRAIN

1st Speed Hold Switch
on Side Console
Brakes (Parking)
Spring Applied,
Oil Pressure Released,
Dry Disc Type
Brakes (Service)
Enclosed Wet Disc,
Dual System,
Dashboard Mounted
Differential,
Limited Slip (F/R)
Down-Shift Switch
Drive Shafts,
Low Maintenance
F-R Direction Selector
(2-Column Mounted/
HYO-Control Lever Mounted)
Quick Power Button
Transmission, Automatic
w/Load Sensing System
Transmission Declutch
(3-Position Level/Off/Hill)
Transmission Mode
Selection (3-Position
AUTO 1/MAN/AUT02)
Universal Joints, Sealed

HYDRAULIC SYSTEM

Boom Kick-Out, Dual
(Operator Adjustable In Cab)
Bucket Positioner
Control Lever,
Single, Pilot-Assisted
Control Lever Lock
(Electric)
Control Valve, 2-Spool,
Parallel Control
Pumps,
Variable Displacement,
Load Sensing
Steering, Orbital
System: Open-Center,
High-Pressure,
Load Sensing
Variable, Anti-Drift

ELECTRICAL

24-Volt Electrical System
Back-up Alarm
Batteries (2), 12V, 146CCA
Battery Disconnect Switch
Converter, 12V/15 Amp
Hom, Dual Electric
Instrument Panel,
LCD, Monochrome
Lights:
2 Headlights (Halogen)
2 Forward Working Lights
4 Rear Working Lights
2 Stop/Tail/Backup (LEO)
Turn Signal
w/4-way Flashers/Marker

ALARMS, GAUGES & INDICATORS

Alarms (Visual & Audible):
Boost Temperature
Brake 011 Low Pressure
Engine 011 Low Pressure
Hydraulic 011 Level
Overheat (Engine Coolant)

Gauges:
Engine Coolant Temperature
Fuel Gauge
Transmission Oil Temperature

Indicators:

Air Cleaner Element
Air Conditioner Display
Axle 011 Temperature
Battery Discharge Warning
Boom Kick-Out, Dual
Cold Start
Control Lever Lock
ECO - Operating Status
Engine Warning
Fan Reverse Rotation
F-N-R Selection
F-N-R Switch Enable
Fuel Filter (Plugged Filter)
Fuel Filter (Water in fuel)
High Beam
Maintenance
Parking Brake
Ride Control
Service
Shift Hold
Speedometer
Time/Operating Hour/ ODO
Transmission Oil Temperature
Transmission Warning
Turn Signal
w/4-way Flashers/Marker
Work Light
Work Mode (Normal, Power)

CAB

ROPS Cab:
Enclosed cab with
sound suppression,
front and rear wipers and
washers, two rear view and
two side mirrors, tinted glass,
full view latch-back doors,
and sliding side windows.
Accessory Outlet, 12V
AC/Heater/Pressurizer
Adjustable Armrest/Console,
(Fore/Aft Sliding)
AM/FM/WB Radio w/AUX Input
Ashtray
Cab Dome Lamps (2)
Cigarette Lighter, 24V
Coat Hook
Cooler Box Storage Area
Cup Holder (2)
Floor Mat, Sweep Out
Retractable Seat Belt (3 inch)
ROPS/FOPS Certified
Seat, Air Suspension, Fabric
Steering Column,
Telescoping and Tilting
w/Quick-Release Pedal
Sun Visor

OTHER

Articulation Locking Bar
Counterweight
Drawbar
Fenders, Front, w/Mud Flap
Fenders, Rear,
Deck-type, w/Mud Flap
Global e-Service,
Telematic Monitoring System,
(GSM-version w/ 4yrs Service)
Ladders, inclined
Lifting Eyes
Linkage Pins, HN Bushing
Neutral Safety Start
Rear Grill, hinged
Steps, Rear
Vandalism Protection
Z-Bar Loader Linkage

Engine: CUMMINS QSB6.7 Diesel

Horsepower: 168 hp/2200 rpm (125 kW/2200 rpm) Net

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

KAWASAKI 70Z7 PRICE LIST

BUCKETS AND FORKS

96" Pipe Fork on 102" Carriage w/ Adjustable Tines	71DA100	\$13,116
General Purpose, 3.7 Cu. Yd. w/ Bolt-on Cutting Edge	71DA022	\$9,592
General Purpose, 3.7 Cu. Yd. w/ Teeth & Segments	71DA082	\$11,445
Material Handling, 4.2 Cu. Yd. w/ Bolt-on Cutting Edge	71DA042	\$10,260
L L L R I BUCKET, REFUSE, 5.75 Cu. Yd. x 114.6" w/ Bolt-on Cutting Edge *	71DA090	\$16,913

QUICK COUPLER AND ATTACHMENTS

48" Construction Utility Fork on 60" Carriage, QC Type	7108020	\$7,122
60" Construction Utility Fork on 60" Carriage, QC Type	7108021	\$7,343
60" Construction Utility Fork on 96" Carriage, QC Type	7108022	\$8,444
96" Pipe Fork on 102" Carriage w/ Adjustable Tines, QC Type	7108025	\$11,924
General Purpose, 3.4 Cu.Yd. Bucket w/ Bolt-on Cutting Edge, QC Type	71DA060	\$8,684
Hydraulic Coupler, Cast-type, Dual-Interchange (416 BO), Lines & Control	7108014	\$7,184
Hydraulic Coupler, Fabricated, 416 Interchange, Lines & Control	7106010	\$5,012

TIRE SELECTION (Rims included)

Bias Ply, Set of Four - 20.5-25 12PR Rock (L-3)	TBP2002	\$9,922
Bias Ply, Set of Four - 20.5-25-12PR Traction (L-2)	TBP2001	\$8,404
Bias Ply, Set of Four - 23.5-25-16PR Rock (L-3)	TBP2301	\$14,039
Radial, Set of Four - 20.5R25 (L-2)	TRA2003	\$12,347
Radial, Set of Four - 20.5R25 (L-3)	TRA2001	\$16,258
Radial, Set of Four - 23.5R25 (L-3)	TRA2301	\$23,769
Radial, Set of Four - Michelin, 20.5R25-XHA2 (L-3)	TMI2001	\$20,663
Radial, Set of Four - Michelin, 20.5R25-XTLA (L-2)	TMI2002	\$16,756
Radial, Set of Four - Michelin, 23.5R25-XHA2 (L-3)	TMI2301	\$29,459

RIMS (Dealer Supplied Tires)

20.5-25 Rims Only	7100010	\$4,233
23.5-25 Rims Only	7100020	\$7,447
NO TIRES AND NO RIMS	NTRO000	\$0

CAB ACCESSORIES

BACKUP CAMERA, 5.6" Color LCD Monitor & Color Camera w/ Infrared Capability *	7106130	\$1,081
BACKUP CAMERA, Heavy-Duty, 7" High-Mount RLED Monitor w/Sunshade & Color Camera *	7106131	\$2,096
DUAL LEVER HYDRAULIC CONTROL	7104045	\$3,729
FIRE EXTINGUISHER, 5 LB, 2A:10B:C RATED (w/ mounting)	7106110	\$274
HEATED MIRRORS	7106120	\$864
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front & Rear	7105121	\$1,418
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front Only	7105123	\$883
LIGHTS, LED (mounted on cab), Front & Rear	7105120	\$1,577
REAR PROXIMITY DETECTION (Detects persons and objects to the rear of the machine) *		
(Includes BACKUP CAMERA, Heavy-Duty option (7106131))	7106180	\$5,280
SEAT, Heated w/ TLV Suspension (OLX8500)	7106150	\$437
SEAT, Vinyl w/ Mechanical Suspension	7106160	\$0
SECONDARY STEERING *	7104050	\$7,928
WIPER BLADE, SNOW (for use w/ Snow Option Package)	7106170	\$67
L A C H L R W CAB PRE-FILTER (RESPA-type)	7106041	\$2,364

Recommended for Special Application :

L A C H L R W = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchips

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

KAWASAKI 70Z7 PRICE LIST

ELECTRICAL SYSTEM

<u>IC</u>	ANTI-CORROSION WIRING HARNESS *	7105090	\$764
-----------	---------------------------------	---------	-------

HYDRAULICS

3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ High Lift Arm, Dual Control Lever)	7104022	\$4,549
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ High Lift Arm, Single Control Lever)	7104023	\$4,549
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ Standard Lift Arm, Dual Control Lever)	7104020	\$4,549
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ Standard Lift Arm, Single Control Lever)	7104021	\$4,549
4-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ Standard Lift Arm, Single Control Lever) (for use w/ Snow Option Package)	7104035	\$7,383
RIDE CONTROL (w/ load sensing valve and automatic shut off)	7104010	\$4,879

MAINTENANCE / SERVICEABILITY

AUTO-LUBE SYSTEM (Lincoln Quicklub w/ 8 L reservoir) *	7101180	\$9,115
GLOBAL E-SERVICE, Telematic Monitoring System (SAT version w/ 4 yrs. service) (I.L.O. STD GSM version)	7105020	\$1,341

POWERTRAIN

ENGINE BLOCK HEATER, 12DV	7102120	\$243
<u>SPEED LIMIT PROGRAM</u> - 12MPH (20KPH)	7103045	\$640
<u>AIIR</u> COOLING SYSTEM CORES, WIDE FIN SPACING	7102030	\$6,500
<u>AIW</u> ENGINE PRE-CLEANER (Turbine Style)	7102020	\$565

PROTECTION / GUARDING

BELLYGUARD, TRANSMISSION	7101030	\$1,468
<u>RW</u> ARTICULATION AREA GUARD - Flexible Rubber Belting	7101081	\$1,608
<u>R</u> BELLYGUARD, FRONT CHASSIS	7101040	\$2,168
<u>L</u> CAB WINDSHIELD GUARD - Logging	7106030	\$4,133
<u>R</u> CAB WINDSHIELD GUARD - Refuse	7106035	\$6,706
<u>R</u> LIGHT GUARD, HEADLIGHT	7105050	\$652
<u>R</u> LIGHT GUARD, TAIL LIGHT	7105060	\$607
<u>AIARW</u> RADIATOR AREA SCREEN GUARD	7102040	\$845
<u>IR</u> WHEEL SEAL GUARDS	7103021	\$3,488

STRUCTURAL ACCESSORIES

COUNTERWEIGHT, For Buckets (1 L.O. Tire Ballast)	7101010	\$2,158
FENDERS (Full rear fenders w/ mud flaps)	7101070	\$3,781
HIGH LIFT ARM FOR MATERIAL HANDLING *	7101050	\$8,578
<u>IL</u> COUNTERWEIGHT, For Logging *	7101020	\$5,778

Recommended for Special Application :

AICHLIRW = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

\$ 217,083

STANDARD EQUIPMENT

ENGINE!

Air Cleaner,
Double Element
Automatic Shutdown
Cold Start
(Intake Air Heater)
Cooling Fan,
Automatic Reversible,
Cummins QSB6.7
Diesel Engine
Diesel Particulate Filter
(Exhaust filter)
EGR System
Fuel Filter,
w/Water Separator
Fuel Pre-Filter,
w/Water Separator
VGT (Variable
Geometry Turbocharger)
Work Mode Selector

POWERTRAIN

1st Speed Hold Switch
on Side Console
Brakes (Parking)
Spring Applied,
Oil Pressure Released,
Dry Disc Type
Brakes (Service)
Enclosed Wet Disc,
Dual System,
Inboard Mounted
Differential,
Limited Slip (F/R)
Down-Shi Switch
DriveShaft,
Low Maintenance
F-R Direction Selector
(2-Column Mounted/
HYO-Control Lever Mounted)
Quick Power Button
Transmission, Automatic
w/Load Sensing System
Transmission Declutch
(3-Position Level/Off/Hill)
Transmission Mode
Selection (3-Position
AUT01/MAN/AUT02)
Universal Joints, Sealed

HYDRAULIC SYSTEM

Boom Kick-Out, Dual
(Operator Adjustable in Cab)
Bucket Positioner
Control Lever,
Single, Pilot-Assisted
Control Lever Lock
(Electric)
Control Valve, 2-Spool,
Tandem Control
Pump,
Variable Displacement,
Load Sensing
Steering, Orbitrol
System: Open-Center,
High-Pressure,
Torque Controlled
Valve, Anti-Drift

ELECTRICAL

24-Volt Electrical System
Alternator (65 AMP)
Back-up Alarm
Batteries (2), 12V, 1,000CCA
Battery Disconnect Switch
Camera, Rear-View
Converter, 12V/15 Amp
Horn, Dual Electric
Instrument Panel,
LCD, Color
Lights:
2 Headlights (Halogen)
2 Forward Working Lights
4 Rear Working Lights
2 Stop/Tail/Backup (LED)
Turn Signal
w/4-way Flashers/Marker

ALARMS, GAUGES & INDICATORS

Alarms (Visual & Audible):
Air Cleaner Element
Axle Oil Temperature
Battery Discharge Warning
Boost Temperature/
Boost Temperature Difference
Brake Oil Low Pressure
EGR Gas Temperature
Engine Oil Low Pressure
Engine Warning
Exhaust Gas Temperature
Fuel Filter (Plugged Filter)
Fuel Filter (Water In fuel)
Fuel Temperature
Hydraulic Oil Level
Hydraulic Oil Temperature
Intake Air Temperature
Main Pump Oil Pressure
overheat (Engine Coolant)
Transmission Warning
Gauges:
Brake Oil Pressure
Engine Coolant Temperature
Fuel Gauge
Speedometer
Tachometer
Transmission Oil Temperature
Indicators:
Air Conditioner Display
Boom Kick-Out, Dual
Cold Start
Control Lever Lock
Declutch
Diesel Particulate Filter Status
ECO-Operating Status
Fan Reverse Rotation
F-N-R Selection
F-N-R Switch Enable
High Beam
Parking Brake
Shift Hold
Time/Operating Hour/ ODO
Transmission Mode and Status
Turn Signal
w/4-way Flashers/Marker
Work Light
Work Mode (Normal, Power)

CAB

ROPS Cab:
Enclosed cab with
sound suppression,
front and rear wipers and
washers, two rear view and
two side mirrors, tinted glass,
full view latch-back doors,
and sliding side windows.
Accessory Outlet, 12V
AC/Heater/Pressurizer
Adjustable Armrest/Console,
(Fore/Aft Sliding)
AM/FM/WB Radio w/AUX input
Ashtray
Cab Dome Lamps (2)
Cigarette Lighter, 24V
Coat Hook
Cup Holder (2)
Floor mat, Sweep Out
Retractable Seat Belt (3Inch)
ROPS/FOPS Certified
Seat, Air Suspension, Fabric
Steering Column,
Telescoping and Tilting
w/Quick-Release Pedal
Storage Box (Heated/Cooled)
Storage Tray
Sun Visor

OTHER

Articulation Locking Bar
Counterweight
Drawbar
Fenders, Front, w/Mud Flap
Fenders, Rear,
Deck-type, w/Mud Flap
Global e-Service,
Telematic Monitoring System,
(GSM-version w/ 4yrs Service)
Ladders, inclined
Lifting Eyes
Linkage Pins, HN Bushing
Neutral Safety Start
Rear Grill, hinged
Steps, Rear
Vandalism Protection
Z-Bar Loader Linkage

Engine: CUMMINS QSB6.7 Diesel

Horsepower: 193 hp/2200 rpm (145 kW/2200 rpm) Net

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

KAWASAKI 80Z7 PRICE LIST

BUCKETS AND FORKS

96" Pipe Fork on 102" Carriage w/ Adjustable Tines	71EA100	\$16,220
General Purpose, 4.2 Cu. Yd. w/ Bolt-on Cutting Edge	71EA022	\$11,072
General Purpose, 4.2 Cu. Yd. w/ Teeth & Segments	71EA082	\$13,453
Material Handling, 4.75 Cu. Yd. w/ Bolt-on Cutting Edge	71EA042	\$11,752
<u>L I L I R L</u> BUCKET, REFUSE, 6.75 Cu. Yd. x 122" w/ Bolt-on Cutting Edge *	71EA090	\$19,931

QUICK COUPLER AND ATTACHMENTS

60" Construction Utility Fork on 106" Carriage, QC Type	71EB022	\$12,381
72" Construction Utility Fork on 106" Carriage, QC Type	71EB020	\$19,16
84" Construction Utility Fork on 106" Carriage, QC Type	71EB023	\$15,242
96" Construction Utility Fork on 106" Carriage, QC Type	71EB021	\$16,276
96" Pipe Fork on 102" Carriage w/ Adjustable Tines, QC Type	71EB025	\$17,905
General Purpose, 3.7 Cu. Yd. Bucket w/ Bolt-on Cutting Edge, QC Type	71EA060	\$12,115
Hydraulic Coupler, 418 Interchange, Lines & Control	71EB010	\$8,309
Hydraulic Coupler, SO-Interchange, Lines & Control	71EB014	\$9,269

TIRE SELECTION (Rims included)

Bias Ply, Set of Four - 23.5-25-16PR Rock (L-3)	TBP2301	\$14,039
Radial, Set of Four - 23.5R25 (L-3)	TRA2301	\$23,769
Radial, Set of Four - Michelin, 23.5R25-XHA2 (L-3)	TMI2301	\$29,459

RIMS (Dealer Supplied Tires)

23.5-25 Rims Only	71ED020	\$7,447
NO TIRES AND NO RIMS	NTR0000	\$0

CAB ACCESSORIES

BACKUP CAMERA, Heavy-Duty, 7" High-Mount RLED Monitor w/Sunshade & Color Camera *	71E6131	\$2,096
DUAL LEVER HYDRAULIC CONTROL	71E4045	\$3,995
FIRE EXTINGUISHER., 5 LB, 2A: OB:C RATED (w/ mounting)	71E6110	\$274
HEATED MIRRORS	71E6120	\$864
LIGHTS, HID (HighIntensity Discharge, mounted on cab), Front & Rear	71E5121	\$1,118
LIGHTS, HID (HighIntensity Discharge, mounted on cab), Front Only	71E5123	\$883
LIGHTS, LED (mounted on cab), Front & Rear	71E5120	\$1,557
REAR PROXIMITY DETECTION (Detects persons and objects to the rear of the machine) *		
(Includes BACKUP CAMERA, Heavy-Duty option (71E6131))	71E6180	\$5,280
SEAT, Heated w/ TLV Suspension (DLX8500)	71E6150	\$437
SEAT, Vinyl w/ Mechanical Suspension	71E6160	\$0
SECONDARY STEERING *	71E4050	\$7,928
<u>A C I L R W</u> CAB PRE-FILTER (RESPA-type)	71E6041	\$2,364

HYDRAULICS

3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ High Lift Arm, Dual Control Lever)	71E4022	\$4,561
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ High Lift Arm, Single Control Lever)	71E4023	\$4,561
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ Standard Lift Arm, Dual Control Lever)	71E4020	\$4,561
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ Standard Lift Arm, Single Control Lever)	71E4021	\$4,561
RIDE CONTROL (w/ load sensing valve and automatic activation)	71E4010	\$4,879

Recommended for Special Application :

A C I H L R W = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

\$ 258,100

STANDARD EQUIPMENT

ENGINE

Air Cleaner,
Double Element
Auto Idle Shutdown
Cold Start (Glow Plug)
Cooling Fan,
Automatic Reversible,
Swing-out Type
Diesel Particulate Filter
(Exhaust filter)
EGR System
Fuel Filter,
w/Water Separator
Fuel Pre-Filter,
w/Water Separator
Isuzu 6HK1 Diesel Engine
Pre-Cleaner
(Turbine Type)
VGT (Variable
Geometry Turbocharger)
Work Mode Selector

POWERTRAIN

Brakes (Parking)
Spring Applied,
Oil Pressure Released,
Dry Disc Type
Brakes (Service)
Enclosed Wet Disc,
Dual System,
Board Mounted
Differential,
Limited Slip (F/R)
Down-Shift Switch
Drive Shafts,
Low Maintenance
F-R Direction Selector
(2-Column Mounted/
Console Mounted)
Quick Power Button
Transmission, Automatic
w/Load Sensing System
Transmission Declutch
(3-Position Level/Off/Hill)
Transmission Mode
Selection (3-Position
AUT01/MAN/AUT02)
Universal Joints, Sealed

HYDRAULIC SYSTEM

Boom Kick-Out, Dual
(Operator adjustable in Cab)
Bucket Positioner
Control Lever, Dual,
Pilot-Assisted
Control Lever Lock
(Electric)
Control Valve, 2-Spool,
Tandem Control
Pump,
Variable Displacement,
Load Sensing
Steering, Orbital
System: Open-Center,
High-Pressure,
Torque Controlled
Valve, Anti-Drift

ELECTRICAL

24-Volt Electrical System
Alternator (50 AMP)
Back-up Alarm
Batteries (2), 12V, 1,000CCA
Battery Disconnect Switch
Camera, Rear-View
Converter, 12V/15 Amp
Horn, Dual Electric
Instrument Panel,
LCD, Color
Lights:
2 Headlights (Halogen)
2 Forward Working Lights
4 Rear Working Lights
2 Stop/Tail/Backup (LED)
Turn Signal
w/4-way Flashers/Marker

ALARMS, GAUGES & INDICATORS

Alarms (Visual & Audible):
Air Cleaner Element
Axle Oil Temperature
Battery Discharge Warning
Boost Temperature/
Boost Temperature Difference
Brake Oil Low Pressure
EGR Gas Temperature
Engine Oil Low Pressure
Engine Warning
Exhaust Gas Temperature
Fuel Filter (Plugged Filter)
Fuel Fitter (Water in fuel)
Fuel Temperature
Hydraulic Oil Level
Hydraulic Oil Temperature
Intake Air Temperature
Main Pump Oil Pressure
Overheat (Engine Coolant)
Transmission Warning
Gauges:
Brake Oil Pressure
Engine Coolant Temperature
Fuel Gauge
Speedometer
Tachometer
Transmission Oil Temperature
Indicators:
Air Conditioner Display
Boom Kick-Out, Dual
Cold Start
Control Lever Lock
Declutch
Diesel Particulate Filter Status
ECO - Operating Status
Fan Reverse Rotation
F-N-R Selection
F-N-R Switch Enable
High Beam
Parking Brake
Shift Hold
Time/Operating Hour/ ODO
Transmission Mode and Status
Turn Signal
w/4-way Flashers/Marker
Work Light
Work Mode (Normal, Power)

CAB

ROPS Cab:
Enclosed cab with
sound suppression,
front and rear wipers and
washers, two rear view and
two side mirrors, tinted glass,
full view latch-back doors,
and sliding side windows.
Accessory Outlet, 12V
AC/Heater/Pressurizer
Adjustable Armrest/Console,
(Fore/Aft Sliding)
AM/FM/WB Radio w/AUX Input
Ashtray
Cab Dome Lamps (2)
Cigarette Lighter, 24V
Coat Hook
Cup Holder (2)
Floor Mat, Sweep Out
Retractable Seat Belt (3 inch)
ROPS/FOPS Certified
Seat, Air Suspension, Fabric
Steering Column,
Telescoping and Tilting
w/Quick-Release Pedal
Storage Box (Heated/Cooled)
Storage Tray
Sun Visor

OTHER

Articulation Locking Bar
Counterweight
Drawbar
Fenders, Front, w/Mud Flap
Fenders, Rear,
Deck-type, w/Mud Flap
Global e-Service,
Telematic Monitoring System,
(GSM-version w/ 4yrs Service)
Ladders, inclined
Lifting Eyes
Linkage Pins, HN Bushing
Neutral Safety Start
Rear Grill, hinged
Steps, Rear
Vandalism Protection
Z-Bar Loader Linkage

Engine: ISUZU 6HK1 Diesel

Horsepower: 243 hp/2200 rpm (181 kW/2200 rpm) Net

KAWASAKI 85Z7 PRICE LIST

BUCKETS

General Purpose, 4.8 Cu. Yd. w/ Bolt-on Cutting Edge	71HA022	\$13,514
General Purpose, 4.8 Cu. Yd. w/ Teeth & Segments	71HA082	\$17,158
Material Handling, 5.2 Cu. Yd. w/ Bolt-on Cutting Edge	71HA042	\$13,782
<u> </u> BUCKET, REFUSE 7.5 Cu. Yd. x 125" w/ Bolt-on Cutting Edge *	71HA090	\$25,810

QUICK COUPLER AND ATTACHMENTS

60" Construction Utility Fork on 106" Carriage, QC Type	71HB022	\$12,381
72" Construction Utility Fork on 106" Carriage, QC Type	71HB020	\$12,916
84" Construction Utility Fork on 106" Carriage, QC Type	71HB023	\$15,242
96" Construction Utility Fork on 106" Carriage, QC Type	71HB021	\$16,276
General Purpose, 4.2 Cu.Yd. Bucket w/ Bolt-on Cutting Edge, QC Type	71HA060	\$13,093
Hydraulic Coupler, 41mm Interchange, Lines & Control	71HB010	\$8,309
Hydraulic Coupler, SO-Interchange, Lines & Control	71HB014	\$9,269

TIRE SELECTION (Rims included)

Blas Ply, Set of Four -26.5 25-20PR Rock (L-3)	TBP2601	\$19,047
Blas Ply, Set of Four -26.5-25-26PR Rock (L-5)	TBP2602	\$28,288
Radial, Set of Four • 23.5R25 (L-3)	TRA2301	\$23,769
Radial, Set of Four • 26.5R25 (L-3)	TRA2601	\$30,687
Radial, Set of Four • Michelin, 23.5R25-XHA2 (L-3)	TMI2301	\$29,459
Radial, Set of Four -Michelin, 26.5R25-XHA2 (L-3)	TMI2601	\$38,646
Radial, Set of Four -Michelin, 750/65R25-XLD (L-3)	TMI7501	\$41,442

RIMS (Dealer Supplied Tires)

23.5-25 Rims Only	71HD010	\$7,447
26.5-25 Rims Only	71HD020	\$9,065
NO TIRES AND NO RIMS	NTR0000	\$0

CAB ACCESSORIES

BACKUP CAMERA, Heavy-Duty, 7" High-Mount RLED Monitor w/Sunshade & Color Camera *	71H6131	\$2,096
FIRE EXTINGUISHER, 5 LB, 2A:10B:C:RATED (w/ mounting)	71H6110	\$274
HEATED MIRRORS	71H6120	\$864
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front & Rear	71H5121	\$1,418
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front Only	71H5123	\$883
LIGHTS, LED (mounted on cab), Front & Rear	71H5120	\$1,557
REAR PROXIMITY DETECTION (Detects persons and objects to the rear of the machine) * (Includes BACKUP CAMERA, Heavy-Duty option (71H6131))	71H6180	\$5,280
SEAT, Heated w/ TLV Suspension (DLX8500)	71H6150	\$437
SEAT, Vinyl w/ Mechanical Suspension	71H6160	\$0
SECONDARY STEERING *	71H4050	\$7,928
SINGLE LEVER HYDRAULIC CONTROL (w/ Multi-Function Grip)	71H4040	\$3,990
<u> </u> CAB PRE-FILTER (RESPA-type)	71H6041	\$2,364

ELECTRICAL SYSTEM

<u> </u> ALTERNATOR, SEALED ELECTRONICS (24V-75A)	71H2070	\$2,110
<u> </u> ANTI-CORROSI VE WIRING HARNESS	71H5090	\$868

HYDRAULICS

3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ High Lift Arm, Dual Control Lever)	71H4022	\$5,414
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ High Lift Arm, Single Control Lever)	71H4023	\$5,414
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ Standard Lift Arm, Dual Control Lever)	71H4020	\$5,414
3-SPOOL VALVE, CONTROL LEVER AND LINES (for use w/ Standard Lift Arm, Single Control Lever)	71H4021	\$5,414
RIDE CONTROL (w/ load sensing valve and automatic activation)	71H4010	\$6,385

Recommended for Special Application:

||||| = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

KAWASAKI 85Z7 PRICE LIST

MAINTENANCE / SERVICEABILITY

AUTO-LUBE SYSTEM (Lincoln™ Quicklub w/ 8 ½ reservoir) *	71H1180	\$9,115
GLOBAL E-SERVICE, Telematic Monitoring System (SAT version w/ 4 yrs. service) (I.L.O. STD GSM version)	71H5020	\$1,341

POWERTRAIN

AXLE OIL COOLER *	71H3085	\$6,700
ENGINE BLOCK HEATER, 120V	71H2120	\$412
<u>A</u> <u>I</u> <u>I</u> <u>I</u> <u>R</u> <u>W</u> COOLING SYSTEM CORES, WIDE FIN SPACING	71H2030	\$7,000

PROTECTION / GUARDING

BELLYGUARD, TRANSMISSION	71H1030	\$1,936
<u>I</u> <u>R</u> <u>W</u> ARTICULATION AREA GUARD - Flexible Rubber Belting	71H1081	\$2,207
<u>I</u> <u>R</u> BELLYGUARD, FRONT CHASSIS	71H1040	\$2,682
<u>I</u> <u>R</u> BUMPER GUARD - Refuse (for use w/ Solid Tires only)	71H1025	\$1,673
<u>I</u> <u>L</u> CAB WINDSHIELD GUARD - Logging	71H6030	\$4,133
<u>I</u> <u>R</u> CAB WINDSHIELD GUARD - Refuse	71H6035	\$6,706
<u>I</u> <u>R</u> LIGHT GUARD, HEADLIGHT	71H5050	\$652
<u>I</u> <u>R</u> LIGHT GUARD, TAIL LIGHT	71H5060	\$963
<u>A</u> <u>I</u> <u>R</u> <u>W</u> RADIATOR AREA SCREEN GUARD	71H2040	\$845
<u>I</u> <u>R</u> <u>L</u> RADIATOR GRILL, STEEL	71H1090	\$1,226
<u>I</u> <u>R</u> <u>L</u> WHEEL SEAL GUARDS	71H3021	\$4,055

STRUCTURAL ACCESSORIES

COUNTERWEIGHT, For Buckets (I.L.O. Tire Ballast)	71H1010	\$1,673
FENDERS (Full rear fenders w/ mud flaps)	71H1070	\$5,296
HIGH LIFT ARM FOR MATERIAL HANDLING *	71H1050	\$11,316

Recommended for Special Application :

A C H L R W = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

\$ 314,235

STANDARD EQUIPMENT
ENGINE

Air Cleaner,
Double Element
Auto die Shutdown
Cold Start
(Intake Air Heater)
Cooling Fan,
Automatic Reversible
Cummins QSL9 Diesel Engine
EGR System
Fuel Filter (Main)
Fuel Pre-Filter (Main),
w/Water Separator
Rain Cap
SCR Catalyst and DOC
VGT (Variable
Geometry Turbocharger)
Work Mode Selector

POWERTRAIN

Brakes (Parking)
Spring Applied,
Oil Pressure Released,
Wet Disc Type
Brakes (Service)
Enclosed Wet Disc,
Dual System,
Dashboard Mounted
Differential,
Torque Proportioning (F/R)
Down-Shift Switch
Drive Shafts,
Low Maintenance
F-R Direction Selector
(2-Column Mounted/
Console Mounted)
Lock-Up Torque Converter
Quick Power Button
Transmission, Automatic
w/Load Sensing System
Transmission Declutch
(3-Position Level/Off/Hill)
Transmission Mode
Selection (3-Position
AUT01/MAN/AUT02)
Universal Joints, Sealed

HYDRAULIC SYSTEM

Boom Kick-Out, Dual
(Operator adjustable in Cab)
Bucket Positioner
(for Horizontal)
Bucket Positioner
(for Operation Position)
Control Lever, Dual,
Pilot-Assisted
Control Lever Lock
(Electric)
Control Valve, 2-Spool,
Parallel and Tandem Control
Pump,
Variable Displacement,
Load Sensing
Steering, Orbital
System: Open-Center,
High-Pressure,
Load Sensing
Valve, Anti-Drift

ELECTRICAL

24-Volt Electrical System
Alternator (95 AMP)
Back-up Alarm
Batteries (2), 12V, 1,000CCA
Battery Disconnect Switch
Camera, Rear-View
Converter, 12V/15 Amp
Horn, Dual Electric
Instrument Panel,
LCD, Color
Lights:
2 Headlights (Halogen)
2 Forward Working Lights
4 Rear Working Lights
2 Stop/Tail/Backup (LED)
Turn Signal
w/4-way Flashers/Marker

ALARMS, GAUGES & INDICATORS

Alarms (Visual & Audible):
Air Cleaner Element
Aftertreatment Device
Aftertreatment Device
Regeneration System
Axle 011 Temperature
Battery Discharge Warning
Brake Oil Low Pressure
CAN Network System
DEF/AdBlue Tank
(Level/Quality/System)
Engine Oil Low Pressure
Engine Trouble
Engine Warning
Fuel Filter (Water in fuel)
Hydraulic Oil Level
Hydraulic Oil Temperature
Main Pump Oil Pressure
Overheat (Engine Coolant)
Transmission Oil Temperature
Transmission Warning

Gauges:

DEF/AdBlue Tank Level
Engine Coolant Temperature
Fuel Gauge
Speedometer
Tachometer
Transmission 011 Temperature

Indicators:

Aftertreatment Device
Regeneration
Air Conditioner Display
Boom Kick-Out, Dual
Cold Start
Control Lever Lock
Declutch
ECO - Operating Status
Fan Reverse Rotation
F-N-R Selection
F-N-R Switch Enable
High Beam
Parking Brake
Shift Hold
Time/Operating Hour/ ODO
Transmission Mode and Status
Turn Signal
w/4-way Flashers/Marker
Work light
Work Mode (Normal, Power)

CAB

ROPS Cab:
Enclosed cab with
sound suppression,
front and rear wipers and
washers, two rear view and
two side mirrors, tinted glass,
full view latch-back doors,
and sliding side windows.
Accessory Outlet, 12V
AC/Heater/Pressurizer
Adjustable Armrest/Console,
(Fore/Aft Sliding)
AM/FM/WB Radio w/AUX Input
Ashtray
Cab Dome Lamps (2)
Cigarette Lighter, 24V
Coat Hook
Cup Holder (2)
Floor mat, Sweep Out
Retractable Seat Belt (3 Inch)
ROPS/FOPS Certified
Seat, Air Suspension, Fabric
Steering Column,
Telescoping and Tilting
w/Quick-Release Pedal
Storage Box (Heated/Cooled)
Storage Tray
Sun Visor

OTHER

Articulation Locking Bar
Counterweight
Drawbar
Fenders, Front, w/Mud Flap
Fenders, Rear,
Full, w/Mud Flap
Global e-Service,
Telematic Monitoring System,
(GSM-version w/ 4yrs Service)
Ladders, Climbed
Lifting Eyes
Linkage Pins, HN Bushing
Neutral Safety Start
Rear Grill, hinged
Steps, Rear
Vandalism Protection
Z Bar Loader Linkage

Engine: CUMMINS QSL9 Diesel

Horsepower: 272 hp/2000 rpm (203 kW/2000 rpm) Net


Effective January 5, 2015

{Revised September 8, 2015}

(Subject to change without notice)

KAWASAKI90Z7BPRICE LIST


BUCKETS

General Purpose, 5.5 Cu. Yd. w/ Bolt-on Cutting Edge	72PA022	\$19,984
General Purpose, 5.5 Cu. Yd. w/ Teeth & Segments	72PA082	\$24,558
Material Handling, 6.1Cu. Yd. w/ Bolt-on Cutting Edge	72PA042	\$21,553
 BUCKET, HOT SLAG (CS), 4.62 Cu. Yd. x 122" (requires HS teeth available separately below)	72PA070	\$36,463
 BUCKET, REFUSE 8.5 Cu. Yd. X 134" w/ Bolt-on Cutting Edge *	72PA090	\$28,493


QU CK COUPLER AND ATTACHMENTS

72" Construction Utility Fork on 106" Carriage, QC Type	72PB020	\$14,194
96" Construction Utility Fork on 106" Carriage, QC Type	72PB021	\$17,349
General Purpose, 4.9 Cu. Yd. Bucket w/ Bolt-on Cutting Edge, QC Type	72PA060	\$16,409
Hydraulic Coupler, Lines & Control	72PB010	\$9,813

BUCKET ACCESSORIES

 Bucket Teeth w/ Replaceable Points, for Hot Slag (CS & MHS) Buckets (US5AH), Weld-on Type, 2 Leg, Set of Eight	72PB050	\$7,801
--	---------	---------




TIRE SELECT ON (Rims ncluded)

Bias Ply, Set of Four - 26.5-25-20PR Traction (L-3)	TBP2601	\$19,047
Bias Ply, Set of Four - 26.5-25-26PR Rock (L-5)	TBP2602	\$28,288
Radial, Set of Four - 26.5R25 (L-3)	TRA2601	\$30,687
Radial, Set of Four - Michelin, 26.5R25-XHA2 (L-3)	TMI2601	\$38,646
Radial, Set of Four - Michelin, 26.5R25-XLDD1A (L-4)	TM 2602	\$57,253
Radial, Set of Four - Michelin, 750/65R25-XLD (L-3)	TMI7501	\$41,442
 Tires, Set of Four - ntan General, 23.5-25-24PR Smooth (L-5S) (Check for Availability) (Bumper Guard Option 71P1025 must be used when tire chain is installed)	TGN2301	\$25,992


RIMS(Dealer SuppliedTires)

23.5 Rims Only	72PD010	\$7,447
26.5 Rims Only	72PD020	\$9,065
NO TIRES AND NO RIMS	NTR0000	\$0

CAB ACCESSORIES

F RE EXTINGUISHER, 5 LB, 2A:10B:C RATED (w/ mounting)	72P6110	\$274
HEATED MIRRORS	72P6120	\$864
JOYSTICK STEERING (includes option 71P6150 - SEAT, Heated w/TLV Susp.) *	72P4070	\$4,000
LIGHTS, HID (HighIntensity Discharge, mounted on cab), Front & Rear	72P5121	\$1,418
LIGHTS, HID (High ntensity Discharge, mounted on cab), Front Only	72P5123	\$883
LIGHTS, LED (mounted on cab), Front & Rear	72P5120	\$1,557
MONITOR, BACKUP CAMERA, Heavy-Duty, 7" High-Mount RLED Monitor w/Sunshade *	72P6135	\$2,008
REAR PROXIMTIY DETECTION (Detects persons and objects to the rear of the machine) * (Includes MONITOR, BACKUP CAMERA, Heavy-Duty option (72P6135))	72P6180	\$5,192
SEAT, Heated w/ TLV Suspension (DLX8500)	72P6150	\$437
SEAT, Vinyl w/ Mechanical Suspension	72P6160	\$0
SECONDARY STEERING *	72P4050	\$7,928
SINGLE LEVER HYDRAULIC CONTROL (w/ Multi-Function Grip)	72P4040	\$4,110
 CAB PRE-FILTER	72P6040	\$3,143
 CAB PRE-FILTER (RESPA-type)	72P6041	\$2,364
 CAB, HOT SLAG - Blast Resisting (Tempered Glass w/Laminate Film in Reinforced Retaining Frame & E-Coat)	72P6060	\$7,330

Recommended for Special Application :

 = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
(Subject to change without notice)

KAWASAKI 90Z7B PRICE LIST

ELECTRICAL SYSTEM

	ANTI-CORROSIVE WIRING HARNESS	72P5090	\$868
	BATTERIES, SOLATED AND INSULATED	72P5070	\$2,026
	HIGH HEAT RESISTANT WIRING HARNESS	72P5080	\$13,597







HYDRAULICS

3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE (for use w/ Standard Lift Arm, Dual Control Lever)	72P4024	\$7,653
3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE * (for use w/ Standard Lift Arm, Single Control Lever)	72P4025	\$7,653
3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE * (for use w/ High Lift Arm, Dual Lever)	72P4026	\$7,653
3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE * (for use w/ High Lift Arm, Single Lever)	72P4027	\$7,653
CANADA SPEC ACCUMULATOR (Steering)	72PZ010	\$666
CUSHION DUMP VALVE (use with heavy/over-size buckets and attachments)	72P4030	\$1,505
RIDE CONTROL (w/ load sensing valve and automatic activation)	72P4010	\$6,576
 ECOSAFE HYDRAULIC FLUID	72P4180	\$2,162

MAINTENANCE / SERVICEABILITY

AUTO-LUBE SYSTEM (Lincoln TM Quilclub w/ 8 L reservoir)	72P1180	\$9,287
GLOBAL E-SERVICE, Telematic Monitoring System (SAT version w/ 4 yrs. service) (I.L.O. STD GSM version)	72P5020	\$1,341

POWERTRAIN

AXLE OILCOOLER *		72P3085	\$7,000
LIMITED SUP DIFFERENTIALS (Front and Rear Axle)		72P3010	\$5,474
	AXLE BRAKE LINES, STAINLESSSTEEL	72P4150	\$1,919
	COOLING SYSTEM CORES, WIDE FINSPACING	72P2030	\$7,300
	ENGINE PRE-CLEANER (Turbine Style)	72P2020	\$565
	PARKING BRAKE OVERRIDE	72P4140	\$4,892
	REMOTE ENGINE SHUTDOWN	72P2080	\$1,774
	TRANSMISSION OVERRIDE F/R/I	72P3040	\$1,854

Recommended for Special Application :

 = {A} Agriculture, {C} Chemical, {H} Hot Slag, {L} Logging, {R} Refuse, {W} Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015)
{Subject to change without notice}

KAWASAKI 90Z7B PRICE LIST

PROTECTION/GUARDING

DESCRIPTION	QTY	UNIT	PRICE
BELLYGUARD, TRANSMISSION	82P1030		\$1,815
ARTICULATION AREA GUARD - Flexible Rubber Belting	82P1081		\$2,479
ARTICULATION AREA GUARD - Steel Type	82P1080		\$2,539
BATTERY BOX GUARD	82P1280		\$520
BELLYGUARD, FRONT CHASSIS	82P1040		\$2,682
BELLYGUARD, TRANSMISSION FOR HOT SLAG	82P1035		\$2,000
BUMPER GUARD - Refuse (for use w/ Solid Tires only)	82P1025		\$2,253
CAB WINDSHIELD GUARD - Logging	82P6030		\$4,133
CAB WINDSHIELD GUARD - Refuse	82P6035		\$6,706
HEADLIGHT, STEEL (For use with Hot Slag)	82P5041		\$1,749
HIGH HEAT RESISTANT HOSE PACKAGE (Includes ARTIC AREA GUARD - STEEL TYPE)	82P4160		\$11,143
HIGH TEMP SIGHT GAUGES (Glass Lens) (Trans. and Hyd)	82P3110		\$209
HYDRAULIC TANK SIGHT GAUGE GUARD	82P1120		\$334
LIGHT GUARD, HEADLIGHT	82P5050		\$652
LIGHT GUARD, TAIL LIGHT	82P5060		\$963
RADIATOR AREA SCREEN GUARD	82P2040		\$2,620
REAR VIEW MIRRORS - METAL FRAME	82P6070		\$506
STEEL ROOF CAP	82P1290		\$1,040
TANK GUARD, FUEL	82P1100		\$2,355
TANK GUARD, HYDRAULIC	82P1110		\$2,224
UNDER-CAB SHIELD	82P1140		\$1,226
WHEEL SEAL GUARDS	82P3021		\$4,055

STRUCTURAL ACCESSORIES

COUNTERWEIGHT, For Buckets (I.L.O. Tire Ballast)	72P1010	\$2,253
HIGH LIFT ARM FOR MATERIAL HANDLING *	72P1050	\$12,775
 STEPS, STEEL CABLE	72P1130	\$1,118
 WHEEL HUB STUDS (I.L.O. Bolts)	72P3050	\$2,426

Recommended for Special Application :

IAICHLIRIW = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January S, 2015
(Revised September 8, 2015)
(Subject to change without notice)

\$ 349,045

STANDARD EQUIPMENT

ENGINE

Air Cleaner, Double
Element
Automatic Shutdown Cold
Start
(Intake Air Heater)
Cooling Fan, Automatic
Reversible, Swing-out Type
Diesel Particulate Filter
(Exhaust filter)
EGR System
Fuel Filter,
w/Water Separator Fuel
Pre-Filter,
w/Water Separator Hino
E13C Diesel Engine Pre-
Cleaner
(Turbine Type) VGT
(Variable
Geometry Turbocharger)
Work Mode Selector

POWERTRAIN

Brakes (Parking)
Spring Applied,
Oil Pressure Released, Wet
Disc Type
Brakes (Service) Enclosed
Wet Disc, Dual System,
Inboard Mounted
Differential,
Torque Proportioning (F/R)
Down-Shift Switch
Drive Shafts,
Low Maintenance F-R
Direction Selector
(2-Column Mounted/
Console Mounted)
Quick Power Button
Transmission, Automatic
w/Load Sensing System
Transmission Declutch
(3-Position LeveVOff/Hill)
Transmission Mode
Selection (3-Position
AUT01/MAN/AUT02)
Universal Joints, Sealed

HYDRAULIC SYSTEM

Boom Kick-Out, Dual (Operator
adjustable In Cab)
Bucket Positioner
Control Lever, Dual,
Pilot-Assisted Control
Lever Lock
(Electric)
Control Valve, 2-Spool, Tandem
Control
Pump,
Variable Displacement, Load
Sensing
Steering, Orbital System:
Open-Center,
High-Pressure, Torque
Controlled
Valve, Anti-Drift

ELECTRICAL

24-Volt Electrical System
Alternator (60 AMP) Back-
up Alarm
Batteries (2), 12V, 1,000CCA
Battery Disconnect Switch
Camera, Rear-View Converter,
12V/15 Amp Horn, Dual Electric
Instrument Panel,
LCD, Color
Lights:
2 Headlights (Halogen)
2 Forward Working Lights 4
Rear Working Lights
2 Stop/Tail/Backup (LED)
Turn Signal
w/4-way Flashers/Marker

ALARMS, GAUGES & INDICATORS

Alarms (Visual & Audible): Air
Cleaner Element Axle 011
Temperature
Battery Discharge Warning Boost
Temperature/
Boost Temperature Difference Brake 011
Low Pressure
EGR Gas Temperature Engine
011 Low Pressure Engine
Warning
Exhaust Gas Temperature Fuel
Filter (Plugged Filter) Fuel Filter
(Water in fuel) Fuel Temperature
Hydraulic 011 Level
Hydraulic 011 Temperature Intake
Air Temperature
Main Pump Oil Pressure
Overheat (Engine Coolant)
Transmission Warning
Gauges:
Brake Oil Pressure
Engine Coolant Temperature Fuel
Gauge
Speedometer
Tachometer
Transmission
Oil Temperature Indicators:
Air Conditioner Display
Boom Kick-Out, Dual Cold
Start
Control Lever Lock
Declutch
Diesel Particulate Filter Status ECO -
Operating Status
Fan Reverse Rotation F-N-R
Selection
F-N-R Switch Enable High
Beam
Parking Brake Shift
Hold
Time/Operating Hour/ ODO
Transmission Mode and Status Turn
Signal
w/4-way Flashers/Marker Work
Light
Work Mode (Normal, Power)

CAB

ROPS cab:
Enclosed cab with sound
suppression,
front and rear wipers and washers,
two rear view and two side mirrors,
tinted glass, front hinged doors,
and sliding side windows.
Accessory Outlet, 12V
AC/Heater/Pressurizer
Adjustable Armrest/Console,
(Fore/Aft Sliding) AM/FM/WB
Radio w/AUX input Ashtray
Cab Dome Lamps (2)
Cigarette Lighter, 24V
Coat Hook
Cup Holder (2) Floor mat,
Sweep Out
Retractable Seat Belt (3 Inch)
ROPS/FOPS Certified
Seat, Air Suspension, Fabric Steering
Column,
Telescoping and Tilting w/Quick-
Release Pedal Storage Box
(Heated/Cooled)
Storage Tray
Sun Visor

OTHER



Articulation Locking Bar
Counterweight
Drawbar
Fenders, Front, w/Mud Flap
Fenders, Rear,
Full, w/Mud Flap Global
e-Service,
Telematic Monitoring System, (GSM-
version w/ 4yrs Service)
Ladders, inclined Lifting
Eyes
Linkage Pins, HN Bushing
Neutral Safety Start
Rear Grill, hinged Steps,
Rear Vandalism
Protection Z-Bar Loader
Linkage

Engine: HINO E13C Diesel

Horsepower: 286 hp/1800 rpm (213 kW/1800 rpm) Net

KAWASAKI 92Z7 PRICE UST



BUCKETS

General Purpose, 6.3 Cu. Yd. w/ Bolt-on Cutting Edge	71SA022	\$21,885
General Purpose, 6.3 Cu. Yd. w/ Teeth & Segments	71SA082	\$26,072
Material Handling, 6.8 Cu. Yd. w/ Bolt-on Cutting Edge	71SA042	\$21,858
 BUCKET, HOT SLAG (CS), 5.0 Cu. Yd. x 125" (requires HS teeth available separately below)	71SA070	\$42,408
 BUCKET, HOT SLAG (MHS), 4.63 Cu. Yd. x 125" (requires HS teeth available separately below)	71SA080	\$51,779


QUICK COUPLER AND ATTACHMENTS

72" Construction Utility Fork on 106" Carriage, QC Type	7156020	\$14,194
96" Construction Utility Fork on 106" Carriage, QC Type	7156021	\$15,180
General Purpose, 6.0 Cu. Yd. Bucket w/ Bolt-on Cutting Edge, QC Type	71SA060	\$19,753
Hydraulic Coupler, Lines & Control	7158010	\$9,813

BUCKET ACCESSORIES

 Bucket Teeth w/ Replaceable Points, for Hot Slag (CS) Buckets (USSAH), Weld-on Type, 2 Leg, Set of Eight	7158050	\$7,801
 Bucket Teeth w/ Replaceable Points, for Hot Slag (MHS) Buckets (U55AH), Weld-on Type, 11/2 Leg, Set of Eight	7158051	\$7,801




TIRE SELECTION (Rims included)

Bias Ply, Set of Four - 26.5-25-20PR Traction (I-3)	TBP2601	\$19,047
Bias Ply, Set of Four - 26.5-25-26PR Rock (L-5)	TBP2602	\$28,288
Radial, Set of Four - 26.SR25 (L-3)	TRA2601	\$30,687
Radial, Set of Four - Michelin, 26.5R25-XHA2 (L-3)	TMI2601	\$38,646
Radial, Set of Four - Michelin, 26.5R25-XLDD1A (L-4)	TMI2602	\$57,253
 Tires, Set of Four - Titan General, 26.5-25-32PR Smooth (L-55) (Check for Availability) (Rear Axle oscillation must be reduced when used with tire chain)	TGN2601	\$36,348


RIMS (Dealer Supplied Tires)

26.5 Rims Only	7150020	\$9,065
NO TIRES AND NO RIMS	NTR0000	\$0

CAB ACCESSORIES

FIRE EXTINGUISHER, 5 LB, 2A:10B:C RATED (w/ mounting)	7156110	\$274
HEATED MIRRORS	7156120	\$864
JOYSTICK STEERING (Includes option 7156150 - SEAT, Heated w/TLV Susp.) *	7154070	\$4,000
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front & Rear	7155121	\$1,418
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front Only	7155123	\$883
LIGHTS, LED (mounted on cab), Front & Rear	7155120	\$1,557
SEAT, Heated w/ TLV Suspension (DLX8500)	7156150	\$437
SEAT, Vinyl w/ Mechanical Suspension	7156160	\$0
SECONDARY STEERING *	7154050	\$8,440
SINGLE LEVER HYDRAULIC CONTROL (w/ Multi-Function Grip) *	7154040	\$4,110
 CAB PRE-FILTER	7156040	\$3,143
 CAB PRE-FILTER (RESPA-type)	7156041	\$2,364
 CAB, HOT SLAG - Blast Resisting (Tempered Glass w/Laminate Film in Reinforced Retaining Frame & E-Coat)	7156060	\$7,330

Recommended for Special Application :

 = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015

(Revised September 8, 2015) (Subject to change without notice)

KAWASAKI 92Z7 PRICE LIST

ELECTRICAL SYSTEM

<u>LI TH</u> BATTERIES, SOLATED AND INSULATED	7155070	\$2,026
<u>LIH</u> HIGH HEAT RESISTANT WIRING HARNESS	7155080	\$13,597

HYDRAULICS

3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE (for use w/ Standard Lift Arm, Dual Control Lever)	7154024	\$7,653
3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE * (for use w/ Standard Lift Arm, Single Lever) CANADA SPEC	7154025	\$7,653
ACCUMULATOR (Steering)	7152010	\$666
CUSHION DUMP VALVE (use with heavy/over-size buckets and attachments)	7154030	\$1,505
RIDE CONTROL (w/ load sensing valve and automatic activation)	7154010	\$6,576
<u>LIH</u> ECOSAFE HYDRAULIC FLUID	7154180	\$2,162

MAINTENANCE / SERVICEABILITY

AUTO-LUBE SYSTEM (Lincoln™ Quicklub w/ 8 l reservoir)	7151180	\$9,287
GLOBAL E-SERVICE, Telematic Monitoring System (SAT version w/ 4 yrs. service) (I.L.O. STD GSM version)	7155020	\$1,341

POWERTRAIN

AXLE OIL COOLER *	7153085	\$7,000
SPEED LIMIT PROGRAM - 12MPH (20KPH)	7153045	\$1,184
<u>LIH</u> AXLE BRAKE LINES, STAINLESS STEEL	7154150	\$1,919
<u>LIH</u> COOLING SYSTEM CORES, WIDE FAN SPACING	7152030	\$7,300
<u>LIH</u> PARKING BRAKE OVERRIDE	7154140	\$4,892
<u>LIH</u> REMOTE ENGINE SHUTDOWN	7152080	\$1,774
<u>LIH</u> TRANSMISSION OVERRIDE FI/RI	7153040	\$1,854

Recommended for Special Application :

LAICHLR!W = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

KAWASAKI 92Z7 PRICE LIST

PROTECTION / GUARDING

BELLY GUARD, REAR CHASSIS (With Transmission Access Panel)	7151030	\$2,172
ARTICULATION AREA GUARD • Flexible Rubber Belting	7151081	\$2,600
ARTICULATION AREA GUARD - Steel Type	7151080	\$2,642
BATTERY BOX GUARD	7151280	\$520
BELLYGUARD, FRONT CHASSIS	7151040	\$3,547
BELLYGUARD, TRANSMISSION FOR HOT SLAG	7151035	\$2,000
CAB WINDSHIELD GUARD - Logging	7156030	\$4,133
CAB WINDSHIELD GUARD • Refuse	7156035	\$6,706
HEADLIGHT, STEEL (For use with Hot Slag)	7155041	\$1,749
HIGH HEAT RESISTANT HOSE PACKAGE (Includes ARTIC AREA GUARD - STEEL TYPE)	7154160	\$11,143
HIGH TEMP SIGHT GAUGES (Glass Lens) (Trans. and Hyd)	7153110	\$209
HYDRAULIC TANK SIGHT GAUGE GUARD	7151120	\$334
LIGHT GUARD, HEADLIGHT	7155050	\$652
LIGHT GUARD, TAIL LIGHT	7155060	\$963
REAR VIEW MIRRORS - METAL FRAME	7156070	\$506
STEEL ROOF CAP	7151290	\$1,040
TANK GUARD, FUEL	7151100	\$2,355
TANK GUARD, HYDRAULIC	7151110	\$2,224
UNDER-CAB SHIELD	7151140	\$1,226
WHEEL SEAL GUARDS	7153021	\$4,055

STRUCTURAL ACCESSORIES

HIGH LIFT ARM FOR MATERIAL HANDLING *	7151050	\$14,144
STEPS, STEEL CABLE	7151130	\$1,118
WHEEL HUB STUDS (I.L.O. Bolts)	7153050	\$2,426

Recommended for Special Application :

IA IC IH L IR W = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January S, 2015
(Revised September 8, 2015) (Subject
to change without notice)

\$ 404,830

STANDARD EQUIPMENT

ENGINE

Air Cleaner,
Double Element
Automatic Shutdown Cold
Start
(Glow Plug)
Cooling Fan,
Automatic Reversible Diesel
Particulate Filter
(Exhaust filter) EGR
System
Fuel Filter,
w/Water Separator Fuel
Pre-Filter,
w/Water Separator
Isuzu 6WG1 Diesel Engine
Pre-Cleaner
(Turbine Type) VGT
(Variable
Geometry Turbocharger)
Work Mode Selector

POWERTRAIN

Auto Brake Brakes
(Parking)
Spring Applied,
Oil Pressure Released, Wet
Disc Type
Brakes (Service)
Enclosed Wet Disc, Dual
System,
Dashboard Mounted
Differential,
Torque Proportioning (F/R)
Down-Shift Switch
Drive Shafts,
Low Maintenance F-R
Direction Selector
(2-Column Mounted/
Console Mounted)
Lock-up Torque Converter
Quick Power Button Traction
Control Transmission,
Automatic
w/load Sensing System
Transmission Declutch
(3-Position Level/Hill)
Transmission Mode
Selection (3-Position
AUTO1/MAN/AUTO2)
Universal Joints, Sealed

HYDRAULIC SYSTEM

Boom Kick-Out, Dual
(Operator adjustable in Cab)
Bucket Positioner
Control Lever, Dual,
Pilot-Assisted
Control Lever Lock
(Electric)
Control Valve, 2-Spool,
Tandem Control
Pump,
Variable Displacement, Load
Sensing
Steering, Orbitrol
System: Open-Center,
High-Pressure, Torque
Controlled

ELECTRICAL

24-Volt Electrical System
Alternator (110 AMP) Back-
up Alarm
Batteries (2), 12V, 300CCA
Battery Disconnect Switch
Camera, Rear View
Converter, 12V/15 Amp Horn,
Dual Electric
Instrument Panel,
LCD, Color
lights:
2 Headlights (Halogen)
2 Forward Working Lights 4
Rear Working Lights
2 Stop/Tail/Backup (LED)
Turn Signal
w/4-way Flashers/Marker

ALARMS, GAUGES & INDICATORS

Alarms (Visual & Audible):
Air Cleaner Element Axle
011 Temperature
Battery Discharge Warning Boost
Temperature/
Boost Temperature Difference Brake
Oil Low Pressure
EGR Gas Temperature Engine
Oil Low Pressure Engine
Warning
Exhaust Gas Temperature Fuel
Filter (Plugged Filter) Fuel Filter
(Water in fuel) Fuel
Temperature Hydraulic Oil Level
Hydraulic 011 Temperature
Intake Air Temperature Main
Pump Oil Pressure Overheat
(Engine Coolant) Transmission
Warning
Gauges:
Brake 011 Pressure
Engine Coolant Temperature Fuel
Gauge
Speedometer
Tachometer
Transmission Oil Temperature
Indicators:
Air Conditioner Display Boom
Kick-Out, Dual Cold Start
Control Lever Lock
Declutch
Diesel Particulate Filter Status ECO -
Operating Status
Fan Reverse Rotation F-N-R
Selection
F-N-R Switch Enable High
Beam
Parking Brake Shift
Hold
Transmission Mode and Status
Time/Operating Hour/ ODO Turn
Signal
w/4-way Flashers/Marker Work
Light
Work Mode (Normal, Power)

CAB

ROPS cab:
Enclosed cab with sound
suppression,
front and rear wipers and washers,
two rear view and two side mirrors,
tinted glass, front hinged doors,
and sliding side windows.
Accessory Outlet, 12V
AC/Heater/Pressurizer
Adjustable Armrest/Console,
(Fore/Aft Sliding) AM/FM/WB Radio
w/AUX Input Ashtray
Cab Dome Lamps (2)
Cigarette Lighter, 24V Coat
Hook
Cup Holder (2) Floor Mat,
Sweep Out
Retractable Seat Belt (3 inch)
ROPS/FOPS Certified
Seat, Air Suspension, Fabric
Steering Column,
Telescoping and Tilting w/Quick-
Release Pedal Storage Box
(Heated/Cooled)
Storage Tray Sun
Visor

OTHER



Articulation Locking Bar
Counterweight
Drawbar
Fenders, Front, w/Mud Flap
Fenders, Rear,
Full, w/Mud Flap Global e-
Service,
Telematic Monitoring System, (GSM-
version w/ 4yrs Service)
Ladders, Inclined
Lifting Eyes
Linkage Pins, HN Bushing
Neutral Safety Start
Rear Grill, hinged Steps,
Rear Vandalism
Protection
Z-Bar Loader Linkage (Dual)

Engine: ISUZU 6WG1 Diesel

Horsepower: 388 hp/1800 rpm {289 kW/1800 rpm} Net

KAWASAKI 95Z7 PRICE LIST


BUCKETS

General Purpose, 7.3Cu. Yd. w/ Bolt-on Cutting Edge	71LA022	\$23,646
General Purpose, 7.3Cu. Yd. w/Teeth & Segments	71LA0B2	\$28,262
General Purpose, 9.0 Cu. Yd., 2-Pass Bucket w/ Bolt-on Cutting Edge *		
(For use with the 9527 XTREME PACKAGE only)	71LA122	\$30,816
General Purpose, 9.8 Cu. Yd., 2-Pass Bucket w/ Bolt-on Cutting Edge *		
(For use with the 9527 XTREME PACKAGE only) Material	71LA123	\$36,080
Handling, 8.1Cu. Yd. w/ Bolt-on Cutting Edge Rock 6.5 Cu. Yd.	71LA042	\$22,324
Spade Nose		
(Capacity when equipped with teeth and segments purchased separately below)	71LA020	\$33,551
 BUCKET, HOT SLAG (CS), 5.75 Cu. Yd. x 136" (requires HS teeth available separately below)	71LA070	\$49,977
 BUCKET, HOT SLAG (MHS), 5.0 Cu. Yd. x 136" (requires HS teeth available separately below)	71LA080	\$61,212



QUICK COUPLER AND ATTACHMENTS

72" Construction Utility Fork on 106" Carriage w/ Adjustable Tines, QC Type	71LB020	\$14,194
96" Construction Utility Fork on 106" Carriage, QC Type	71LB021	\$17,349
General Purpose, 6.25 Cu.Yd. Bucket w/ Bolt-on Cutting Edge, QC Type	71LA060	\$23,116
Hydraulic Coupler, Lines & Control	71LB010	\$11,608

BUCKET ACCESSORIES

Bolt-on Cutting Edge Segments, for Rock Bucket (Fits between teeth)	71LB040	\$2,345
Bucket Teeth w/ Replaceable Points, for Rock Bucket (Spade Nose),		
Weld-on Type, 1-1/2 Leg, ESCO U35AP	71LB070	\$3,584
Bucket Wing Shrouds, for Rock Bucket, Mechanical Type, Set of Two	71LB080	\$1,741
 Bucket Teeth w/ Replaceable Points, for Hot Slag (CS & MHS) Buckets (U55AH),		
Weld-on Type, 1-1/2 Leg, Set of Eight	71LB050	\$7,801


TIRE SELECTION (Rims included)

Radial, Set of Four - 29.5R25 (L-3) (N/A for the 9527 XTREME PACKAGE)	TRA2901	\$39,617
Radial, Set of Four - Bridgestone, 875/65R29-VLTS (L-4)		
(For use with the 9527 XTREME PACKAGE only)	TBS8751	\$53,307
Radial, Set of Four - Michelin, 29.5R25-XHA2 (L-3) (N/A for the 9527 XTREME PACKAGE)	TMI2901	\$49,374
Radial, Set of Four - Michelin, 29.5R25-XLDD2A (L-5) (N/A for the 9527 XTREME PACKAGE)	TMI2902	\$82,636
Radial, Set of Four - Michelin, 875/65R29 L3 XHA2		
(For use with the 9527 XTREME PACKAGE only)	TMI8751	\$56,750
 Tires, Set of Four - Titan General, 26.5-25-32PR Smooth (L-5S) (Check for Availability)	TGN2601	\$36,348
 Tires, Set of Four - Titan General, 29.5-25-28PR Smooth (L-SS) (Check for Availability)	TGN2903	\$59,243

RIMS (Dealer Supplied Tires)

26.5-25 Rims Only	71LD010	\$8,019
29.5-25 Rims Only	71LD020	\$11,319
NO TIRES AND NO RIMS	NTRO000	\$0

Recommended for Special Application:

 = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time,

Effective January 5, 2015
(Revised September 8, 2015) (Subject
to change without notice)

KAWASAKI 95Z7 PRICE LIST

CAB ACCESSORIES

FIRE EXTINGUISHER, S LB, 2A: 10B:CRATED (w/mounting)	71L6110	\$274
HEATED MIRRORS	71L6120	\$864
JOYSTICK STEERING (includes option 71L6150 - SEAT, Heated w/TLV Susp.) *	71L4070	\$4,000
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front & Rear	71LS121	\$1,418
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front Only	71LS123	\$883
LIGHTS, LED (mounted on cab), Front & Rear	71LS120	\$1,557
MONITOR, BACKUP CAMERA, Heavy-Duty, 7" High-Mount RLED Monitor w/Sunshade *	71L6135	\$2,008
REAR PROXIMITY DETECTION (Detects persons and objects to the rear of the machine) * (Includes MONITOR, BACKUP CAMERA, Heavy-Duty option (71L6135))	71L6180	\$5,192
SEAT, Heated w/ TLV Suspension (DLX8500)	71L6150	\$437
SEAT, Vinyl w/ Mechanical Suspension	71L6160	\$0
SECONDARY STEERING	71L4050	\$9,063
SINGLE LEVER HYDRAULIC CONTROL (w/ Multi-Function Grip)	71L4040	\$4,519
CAB PRE-FILTER	71L6040	\$3,143
C R CAB PRE-FILTER (RESPA-type)	71L6041	\$2,364
H CAB, HOT SLAG - Blast Resisting (Tempered Glass w/Laminate Film In Reinforced Retaining Frame & E-Coat)	71L6060	\$7,330

ELECTRICAL SYSTEM

C H ANTI-CORROS VE WIRING HARNESS	71LS090	\$970
C H BATERIES, SOLATED AND INSULATED	71LS070	\$2,026
C H HIGH HEAT RESISTANT WIRING HARNESS	71LS080	\$13,849

HYDRAULICS

3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE (for use w/ Standard Lift Arm, Dual Control Lever)	71L4024	\$9,257
3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE * (for use w/ Standard Lift Arm, Single Control Lever)	71 4025	\$9,257
3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE * (for use w/ High Lift Arm, Dual Lever)	71L4026	\$9,257
3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE * (for use w/ High Lift Arm, Single Lever) CANADA SPEC	71L4027	\$9,257
ACCUMULATOR (Steering)	71LZ010	\$666
CUSHION DUMP VALVE (use with heavy/over-size buckets and attachments)	71L4030	\$2,888
RIDE CONTROL (w/ Load sensing valve and automatic activation)	71L4010	\$7,314
ECOSAFE HYDRAULIC FLUID	71L4180	\$2,162

MAINTENANCE / SERVICEABILITY

AUTO-LUBE SYSTEM (Lincoln r.. Quicklub w/8 £ reservoir)	71L1180	\$9,287
GLOBAL E-SERVICE, Telematic Monitoring System (SAT version w/ 4 yrs. service) (I.L.O. STD GSM version)	71LS020	\$1,341

POWERTRAIN

AXLE OIL COOLER *	71L3085	\$8,000
LIMITED SLIP DIFFERENTIALS (Front and Rear Axle)	71L3010	\$6,154
SPEED LIMIT PROGRAM - 12MPH (20KPH)	71L3045	\$1,184
C H AXLE BRAKE LINES, STAINLESS STEEL	71L4150	\$1919
A H COOLING SYSTEM CORES, WIDE FIN SPACING	71L2030	\$7,300
H PARKING BRAKE OVERRIDE	71L4140	\$4,892
H REMOTE ENGINE SHUTDOWN	71L2080	\$1,774
H TRANSMISSION OVERRIDE F/R	71L3040	\$1,854

Recommended for Special Application :

|||A|||C|||H|||L|||R|||W||| = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

KAWASAKI 95Z7 PRICE LIST

PROTECTION / GUARDING

BELLY GUARD, REAR CHASSIS (With Transmission Access Panel)

ARTICULATION AREA GUARD - Flexible Rubber Belting

ARTICULATION AREA GUARD - Steel Type

BATTERY BOX GUARD

BELLY GUARD, FRONT CHASSIS

CAB WINDSHIELD GUARD - Logging

CAB WINDSHIELD GUARD - Refuse

HEADLIGHT, STEEL (For use with Hot Slag)

HIGH HEAT RESISTANT HOSE PACKAGE (Includes ARTICULATION AREA GUARD - STEEL TYPE)

HIGH TEMP SIGHT GAUGES (Glass Lens) (Trans. and Hyd)

HYDRAULIC TANK SIGHT GAUGE GUARD

LIGHT GUARD, HEADLIGHT

LIGHT GUARD, TAIL LIGHT

REAR VIEW MIRRORS - METAL FRAME

STEEL ROOF CAP

TANK GUARD, FUEL

TANK GUARD, HYDRAULIC

TRANSMISSION FILTER GUARD

UNDER-CAB SHIELD

71L1030	\$2,172
71L1081	\$2,680
71L1080	\$2,744
71L1280	\$520
71L1040	\$3,824
71L6030	\$4,133
71L6035	\$6,706
71L5041	\$1,749
71L4160	\$11,143
71L3110	\$209
71L1120	\$334
71L5050	\$652
71L5060	\$963
71L6070	\$506
71L1290	\$1,040
71L1100	\$2,636
71L1110	\$3,138
71L4100	\$390
71L1140	\$1,226

STRUCTURAL ACCESSORIES

COUNTERWEIGHT, For Buckets (I.L.O. Tire Ballast) HIGH

LIFT ARMS FOR MATERIAL HANDLING

LOADRITE SCALE PREPARED

COUNTERWEIGHT, For Logging •

STEPS, STEEL CABLE

WHEEL HUB STUDS (I.L.O. Bolts)

71L1010	\$3,215
71L1050	\$15,513
71L1270	\$290
71L1020	\$8,565
71L1130	\$1,118
71L3050	\$2,426

XTREME PACKAGE

9527 XTREME PACKAGE *

INCLUDES Heavy Duty Structures/Hydraulics, Ride Control, Counterweight

71LZ030	\$30,760
---------	----------

Recommended for Special Application :

AICIHILIRW = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015

(Revised September 8, 2015) (Subject to change without notice)

\$ 618,396

STANDARD EQUIPMENT

ENGINE

Air Cleaner, Double Element
 Auto dle Shutdown Cold Start
 (Glow Plug) Cooling Fan,
 Automatic Reversible Diesel Particulate Filter
 (Exhaust filter) EGR System
 Fuel Filter, w/Water Separator Fuel Pre-Filter, w/Water Separator
Isuzu 6WG1 Diesel Engine
 Pre-Cleaner (Turbine Type) VGT (Variable Geometry Turbocharger) Work Mode Selector

POWERTRAIN

Auto Brake Brakes (Parking)
 Spring Applied, Oil Pressure Released, Wet Disc Type
 Brakes (Service)
 Enclosed Wet Disc, Dual System, Outboard Mounted
 Differential, Conventional Type (F/R) Down-Shift Switch
 Drive Shafts, Low Maintenance F-R Direction Selector
 (Joystick Mounted) Lock-up Torque Converter Quick Power Button Traction Control Transmission, Automatic
 w/Load Sensing System Transmission Declutch (3-Posit on Level/Off/Hill)
 Transmission Mode Selection (3-Position AUT01/MAN/AUT02)
 Universal Joints, Sealed

HYDRAUC SYSTEM

Boom Kick-Out, Dual (Operator adjustable in Cab)
 Bucket Positloner
 Control Lever, Dual, Pilot-Assisted Control Lever Lock (Electric)
 Control Valve, 2-Spool, Tandem Control Pump,
 Variable Displacement, Load Sensing
 Steering, Pilot, Joystick
 System: Open-Center, High-Pressure, Load Sensing

ELECTRICAL

24-Volt Electrical System
 Alternator (110 AMP)
 Back-up Alarm
 Batteries (2), 12V, 1,300CCA
 Battery Disconnect Switch
 Camera, Rear-View Converter, 12V/15 Amp Horn, Dual Electric
 Instrument Panel, LCD, Color
 Lights:
 2 Headlights (Halogen)
 2 Forward Working Lights 4
 Rear Working Lights
 2 Stop/Tail/Backup (LED)
 Turn Signal
 w/4-way Flashers/Marker

ALARMS, GAUGES & INDICATORS

Alarms (Visual & Audible): Air Cleaner Element Axle Oil Temperature
 Battery Discharge Warning Boost Temperature/
 Boost Temperature Difference Brake Oil Low Pressure
 EGR Gas Temperature
 Engine Oil Low Pressure Engine Warning
 Exhaust Gas Temperature Fuel Filter (Plugged Filter) Fuel Filter (Water In fuel) Fuel Temperature Hydraulic Oil Level Hydraulic Oil Temperature
 Intake Air Temperature Main Pump Oil Pressure Overheat (Engine Coolant) Transmission Warning
 Gauges:
 Brake Oil Pressure
 Engine Coolant Temperature Fuel Gauge
 Speedometer
 Tachometer
 Transmission
 Oil Temperature Indicators:
 Air Conditioner Display
 Autobrake Status Boom Kick-Out, Dual Cold Start
 Control Lever Lock Declutch Diesel Particulate Filter Status ECO - Operating Status
 Fan Reverse Rotation F-N-R Selection
 F-N-R Switch Enable High Beam
 Parking Brake Shift Hold
 Time/Operating Hour/ ODO Transmission Mode and Status Turn Signal
 w/4-way Flashers/Marker Work Light
 Work Mode (Normal, Power)

CAB

Soft Cab:
 Enclosed cab with sound suppression, front and rear wipers and washers, two rear view and two side mirrors, tinted glass, front hinged doors, and sliding side windows.
 Accessory Outlet, 12V
 AC/Heater/Pressurizer
 Adjustable Armrest/Console, (Fore/Aft Sliding) AM/FM/WB Radio w/AUX Input Ashtray
 Cab Dome Lamps (2)
 Cigarette Lighter, 24V
 Coat Hook
 Cup Holder (1) for Joystick Steering
 Floor Mat, Sweep Out
 Front Console w/Grab Handle
 Retractable Seat Belt (3inch)
 ROPS/FOPS Certified
 Seat, Air Suspension, Fabric
 Storage Box (Heated/Cooled)
 Storage Tray
 Sun Visor

OTHER



Articulation Locking Bar
 Counterweight
 Drawbar
 Fenders, Front, w/Mud Flap
 Fenders, Rear, Full, w/Mud Flap Global e-Service,
 Telematic Monitoring System, (GSM-version w/ 4yrs Service)
 Ladders, Inclined Lifting Eyes
 Neutral Safety Start
 Rear Grill, hinged
 Steps, Rear
 Vandalism Protection
 2-Bar Loader Linkage (Dual)

Engine: ISUZU 6WG1 Diesel


Horsepower: 531 hp-1800 rpm (396 kW-1800 rpm) Net

KAWASAKI 115Z7 PRICE LIST



BUCKETS

General Purpose, 9,0 Cu. Yd., Straight Edge w/Bolt-on Cutting Edge	71KA022	\$30,093
Rock 8.3 Cu. Yd. Spade Nose (Capacity when equipped with teeth and segments purchased separately below)	71KA020	\$29,950
Rock 9.15 Cu. Yd. Spade Nose L&C, (For use with the 115Z7 XTREME PACKAGE only) *		
(Capacity when equipped with teeth and segments purchased separately below)	71KA100	\$36,016
 BUCKET, HOT SLAG (CS), 7.63 Cu. Yd. x 148" (requires HS teeth available separately below)	71KA070	\$63,971
 BUCKET, HOT SLAG (MHS), 6.75 Cu. Yd. x 148" (requires HS teeth available separately below)	71KA080	\$78,718

BUCKET ACCESSORIES

Bolt-on Cutting Edge Segments, for Rock Bucket (Fits between teeth)	71KB040	\$2,246
Bucket Teeth w/ Replaceable Points, for Rock Bucket (Spade Nose), Weld-on Type, 11/2 Leg, Set of Eight, U45-AP (Abrasion, Penetration)	71KB030	\$4,144
Bucket Wing Shrouds, for Rock Bucket (Spade Nose), Mechanical Type, Set of Two (One per side cutter)	71K8080	\$692
 Bucket Teeth w/ Replaceable Points, for Hot Slag (CS & MHS) Buckets (U60AH), Weld-on Type, 2 Leg, Set of Eight	71KB050	\$16,135




TIRE SELECTION (Rims Included)

Radial, Set of Four - Michelin, 35-65-R33-XLDD2A (L-5)	TMI3502	\$94,922
Radial, Set of Four - Michelin, 35-65-R33-XMINED2 (L S)	TMI3503	\$105,566
Radial, Set of Four Michelin, 35/65-R33-XLDD1A (L-4) (Recommended for the 115Z7 XTREME PACKAGE) 	TM13501	\$86,503
 Tires, Set of Four Titan General, 35/65-33-42PR Smooth (L-5S) (Check for Availability)	TGN3501	\$71,913


RIMS (Dealer Supplied Tires)

35/65-33 Rims Only	71KD010	\$22,623
NO TIRES AND NO RIMS	NTR0000	\$0

CAB ACCESSORIES

FIRE EXTINGUISHER, 5 LB, 2A:10B:C RATED (w/ mounting)	71K6110	\$274
HEATED MIRRORS	71K6120	\$864
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front & Rear LIGHTS,	71K5121	\$1,418
LED (mounted on cab), Front & Rear	71K5120	\$1,557
MONITOR, BACKUP CAMERA, Heavy-Duty, 7" High-Mount LED Monitor w/Sunshade *	71K6135	\$2,008
REAR PROXIMITY DETECTION (Detects persons and objects to the rear of the machine) * (Includes MONITOR, BACKUP CAMERA, Heavy-Duty option (71K6135))	71K6180	\$5,192
SEAT, Heated w/ TLV Suspension (DLX8500) SECONDARY	71K6150	\$208
STEERING	71K4050	\$10,339
SINGLE LEVER HYDRAULIC CONTROL (w/ Multi-Function Grip)	71K4040	\$4,523
 CAB PRE-FILTER	71K6040	\$3,204
 CAB PRE-FILTER (RESPA-type)	71K6041	\$2,364
 CAB, HOT SLAG - Blast Resisting (Tempered Glass w/Laminate Film in Reinforced Retaining Frame & E-Coat)	71K6060	\$7,470

Recommended for Special Application :

 = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015

(Revised September 8, 2015) (Subject to change without notice)

KAWASAKI 115Z7 PRICE LIST

ELECTRICAL SYSTEM

<u>L</u> <u>L</u> <u>I</u> <u>H</u> <u>L</u> <u>L</u> <u>L</u>	BATTERIES, SOLATED AND INSULATED	71K5070	\$2,064
<u>L</u> <u>L</u> <u>I</u> <u>H</u> <u>L</u> <u>L</u> <u>L</u>	HIGH HEAT RESISTANT WIRING HARNESS	71K5080	\$17,423

HYDRAULICS

3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE (for use w/ Standard Lift Arm, Dual Control Lever)	71K4024	\$10,266
3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE * (for use w/ Standard Lift Arm, Single Control Lever)	71K4025	\$10,266
3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE * (for use w/ High Lift Arm, Dual Lever)	71K4026	\$10,266
3-SPOOL VALVE, CONTROL LEVER, LINES AND CUSHION DUMP VALVE * (for use w/ High Lift Arm, Single Lever) CANADA SPEC	71K4027	\$10,266
ACCUMULATOR (Steering)	71KZ010	\$854
CUSHION DUMP VALVE (use with heavy/over-size buckets and attachments)	71K4030	\$2,888
RIDE CONTROL (w/ load sensing valve and automatic activation)	71K4010	\$7,315
<u>L</u> <u>L</u> <u>I</u> <u>H</u> <u>L</u> <u>L</u> <u>L</u> ECOSAFE HYDRAULIC FLUID	711<4180	\$2,777

MAINTENANCE / SERVICEABILITY

AUTO-LUBE SYSTEM (Lincoln™ Centro-Matic w/45 L reservoir)	711<1180	\$17,697
GLOBAL E-SERVICE, Telematic Monitoring System (SAT version w/ 4 yrs. service) (I.L.O. STD GSM version)	711<5020	\$1,341

POWERTRAIN

AXLE OIL COOLER *	71K3085	\$8,600
LIMITED SLIP DIFFERENTIALS (Front and Rear Axle)	71K3010	\$6,154
SPEED LIMIT PROGRAM • 12MPH (20KPH)	711<3045	\$1,184
<u>LI</u> <u>CI</u> <u>HL</u> <u>LL</u> AXLE BRAKE LINES, STAINLESS STEEL	71K4150	\$1919
<u>IA</u> <u>LI</u> <u>IR</u> <u>W</u> COOLING SYSTEM CORES, WIDE FIN SPACING <u>LL</u>	71K2030	\$8,700
<u>IH</u> <u>LI</u> <u>LL</u> PARKING BRAKE OVERRIDE	71K4140	\$4892
<u>LI</u> <u>HL</u> <u>LL</u> REMOTE ENGINE SHUTDOWN	71K2080	\$2,131
<u>LI</u> <u>HL</u> <u>LL</u> TRANSMISSION OVERRIDE F/R/I	71K3040	\$2,178

Recommended for Special Application :

IAICIHLIRW = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

KAWASAKI 115Z7 PRICE UST

71K1030	\$2,172
71K1081	\$3,310
71K1080	\$3,386
71K1280	\$520
71K1040	\$4,055
71K6035	\$6,706
71K5041	\$1,822
71K4160	\$15,357
71K3110	\$209
71K1120	\$334
71K5050	\$848
71K5060	\$1,007
71K6070	\$516
71K1100	\$3,495
71K1110	\$3,196
71K1140	\$1,249

STRUCTURAL ACCESSORIES

HIGH LIFT ARM FOR MATERIAL HANDLING * LOADRITE

SCALEPREPPED

|| || || || || COUNTERWEIGHT, For Logging

|| || H || R || STEPS, STEEL CABLE

|| || H || || || WHEEL HUB STUDS (I.L.O. Bolts)

71K1050	\$18,230
71K1270	\$290
71K1020	\$12,998
71K1130	\$1,118
71K3050	\$2,590

XTREME PACKAGE

11527 XTREME PACKAGE *

INCLUDES Heavy Duty Structures/Hydraulics, Axle Oil Cooler, Ride Control, Counterweight

71KZ030	\$38,062
---------	----------

Recommended for Special Application :

A C I H L R W = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015

(Revised September 8, 2015) (Subject to change without notice)

\$ 1,339,000

STANDARD EQUIPMENT

Air Conditioner (R134 Refrigerant)	Brake Line Protection (Front and Rear)	Gauges:	Muffler(2)
Alarms (Audible):	Brake (Parking)	Converter Oil Temp Engine	Neutral Safety Start
Auto Brake Brake Pressure Brake Oil Temp	Spring Applied, Oil pressure released, Multi-Disc	Coolant Temp Fuel Level	Operator's Manual Box
Engine Oil Pressure	Brakes (Service)	Hour Meter	Prelube System
Hydraulic Oil Level	Axle Brake 011/ Oil Actuation	Hydraulic Oil Level, Sight	Radiator, Heavy Duty
Alarms (Visual):	Enclosed Wet Disc, Dual System	Tachometer	Plate Fin Type Radiator
Air Filter	Full Hydraulic System	Heater/Pressurizer	Grille, Hinged
Battery Discharge	Bucket Control Lever (Single, Pilot Assisted)	Horn (Electric)	Rear Under-Frame Cover Reverse Alarm
Brake Pressure	Bucket Leveler	Hydraulic PowerBoost	ROPS Canopy and:
Brake Disc Wear	Boom Soft-Landing Coat Hook	Indicators:	Enclosed cab with sound suppression, front and rear wipers and washers, two rear view and two side mirrors, tinted glass, and roll-up side windows.
Brake Oil Temp	Cold Start Aid (Air Heater)	Auto Brake Engine	Operating Mode Selection (Normal, Heavy Duty, Load and Carry)
Central Warning Lamp	Converter, (12V/15Amp w/ dash outlet)	Pre-Heater High Beam	Safety Articulation
Engine Coolant Temp	Fan (Blower)	K-Lever Parking Brake	Locking Bar
Engine Oil Pressure	Cup Holder	Transmission Declutch	Seat, Air Ride
Engine Warning (3 Levels) Parking	Downshift Button	Transmission	Seat Belt, Retractable, 3" Wide
Brake Torque	Drawbar	Shift Monitor Working Light	Shift Control Unit for Automatic Shift
Converter	ELS (Efficient Loading System)	K-Lever Steering Linkage	Single Level
011 Temperature	Engine Stop Switch	(Dual 2-Type, Sealed)	Hydraulic Controls
Transmission Control	Fenders (Front & Rear)	Lights:	Traction Control
Warning Transmission		2 Headlights (HI/Lo/Halogen)	Transmission Lock-Up
Oil Filter		4 Forward Working Lights 4	Wrist Rest, Adjustable
Alternator (75 AMP)		Rear Working Lights	
AM/FM/WB Radio with AUX Input		2 Stop/Tail/Backup (LED)	
Batteries: 12V-820CCA (4 units)		2 Step Lights	
Boom Kickout (2-Position, Adjustable, n Cab)		MODM (Machine Operation Diagnostic Module)	

Engine: CUMMINS QST30C Diesel

Horsepower: 720 hp-2100 rpm (537 kW-2100 rpm) Net

KAWASAKI 135ZV-2 PRICE LIST

BUCKETS

General Purpose, 13.5 Cu. Yd. w/ Bolt-on Cutting Edge High	52QA020	\$72,926
Lift, Rock Bucket, 11.5 Cu. Yd. Spade Nose		
(Capacity when equipped with teeth and shrouds purchased separately below)	52QA030	\$75,172
Rock Bucket, 12.8 Cu. Yd. Spade Nose		
(Capacity when equipped with teeth and shrouds purchased separately below)	52QA050	\$79,471

BUCKET ACCESSORIES

Bucket Lip Shrouds (Segments), for Rock Bucket (Spade Nose), Mechanical Type, Set of Seven (fits between the teeth)	52QB040	\$3,782
Bucket Teeth w/ Replaceable Points, for Rock Bucket (Spade Nose), Weld-on Type, 1 1/2 Leg, Set of Eight w/ Corner Adapters, V59-AD	52QB021	\$6,671
Bucket Wing Shrouds, for Rock Bucket (Spade Nose), Mechanical Type, Set of Two (One per side cutter)	52QB080	\$726

TIRE SELECTION (Rims included)

Bias-Ply, Set of Four 41.25-70-39-42PR Rock (L-5)	TBP4101	\$117,840
Radial, Set of Four - 45-65-R.39 (L-5)	TRA4501	\$132,334
Radial, Set of Four - Michelin, 45-65-R39-XMINED2 (L-5)	TMI4501	\$204,501

RIMS (Dealer Supplied Tires)

45/65-39 Rims Only	52QD010	\$65,818
NO TIRES AND NO RIMS	NTR0000	\$0

CAB ACCESSORIES

BACKUP CAMERA, 5.6" Color LCD Monitor & Color Camera w/ nfrared Capability *	52Q6130	\$1,134
EMERGENCY STEERING *	52Q4050	\$11,837
FIRE EXTINGUISHER, 5 LB, 2A:10B:C RATED (w/ mounting)	52Q6111	\$286
HEATED MIRRORS	52Q6120	\$908
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front & Rear	52QS121	\$1,153
LIGHTS, HID (High Intensity Discharge, mounted on cab), Front Only	52Q5120	\$982
SEAT BELT, ORANGE 2"	52Q6090	\$27

HYDRAULICS

RIDE CONTROL (w/ load sensing valve and automatic shut off) *

MAINTENANCE / SERVICEABILITY

AUTO-LUBE SYSTEM (Lincoln™ Centro-Matic w/45 ¢ reservoir) K-LINK III, SATELLITE TRACKING SYSTEM (w/ 2 yrs. Monitoring)

PROTECTION / GUARDING

HINGED BELLY GUARD for Engine, Transmission

STRUCTURAL ACCESSORIES

HIGH LIFT ARM (for use with HRS or HRV Buckets) *

Recommended for Special Application :

A C H L R W = (A) Agriculture, (C) Chemical, (H) Hot Slag, (L) Logging, (R) Refuse, (W) Woodchip

* Special Order Item(s) may increase delivery time.

Effective January 5, 2015
(Revised September 8, 2015) (Subject to change without notice)

52Q4010	\$8,207
---------	---------

52Q1180	\$27,977
52Q5010	\$5,670

52Q1030	\$7,453
---------	---------

52Q1050	\$37,397
---------	----------